

Web Application Security Consortium: Threat Classification

Compliance Report

25 November 2016

Description

The Web Security Threat Classification is a cooperative effort to clarify and organize the threats to the security of a web site. The members of the Web Application Security Consortium have created this project to develop and promote industry standard terminology for describing these issues. Application developers, security professionals, software vendors, and compliance auditors will have the ability to access a consistent language for web security related issues.

The Web Security Threat Classification will compile and distill the known unique classes of attack, which have presented a threat to web sites in the past.

Disclaimer

This document or any of its content cannot account for, or be included in any form of legal advice. The outcome of a vulnerability scan (or security evaluation) should be utilized to ensure that diligent measures are taken to lower the risk of potential exploits carried out to compromise data.

Legal advice must be supplied according to its legal context. All laws and the environments in which they are applied, are constantly changed and revised. Therefore no information provided in this document may ever be used as an alternative to a qualified legal body or representative.

A portion of the information in this report is taken from Web Application Security Consortium "Threat Classification" document, that can be found at <http://www.webappsec.org/>.

Scan

URL	http://testphp.vulnweb.com
Scan date	17/11/2016, 19:22:12
Duration	14 minutes, 35 seconds
Profile	Full Scan

Compliance at a Glance

This section of the report is a summary and lists the number of alerts found according to individual compliance categories.

- Authentication: Brute Force(1.1)

Total number of alerts in this category: 1

- Insufficient Authentication(1.2)

Total number of alerts in this category: 1

- Weak Password Recovery Validation(1.3)

Total number of alerts in this category: 151

- Credential/Session Prediction(2.1)

Total number of alerts in this category: 151

- Insufficient Authorization(2.2)

Total number of alerts in this category: 151

- Insufficient Session Expiration(2.3)

Total number of alerts in this category: 151

- Session Fixation(2.4)

No alerts in this category

- Content Spoofing(3.1)

No alerts in this category

- Cross-site Scripting(3.2)

Total number of alerts in this category: 21

- Buffer Overflow(4.1)

Total number of alerts in this category: 1

- Format String Attack(4.2)

Total number of alerts in this category: 151

- LDAP Injection(4.3)
No alerts in this category
- OS Commanding(4.4)
No alerts in this category
- SQL Injection(4.5)
Total number of alerts in this category: 49
- SSI Injection(4.6)
Total number of alerts in this category: 151
- XPath Injection(4.7)
No alerts in this category
- Directory Indexing(5.1)
Total number of alerts in this category: 12
- Information Leakage(5.2)
Total number of alerts in this category: 53
- Path Traversal(5.3)
Total number of alerts in this category: 1
- Predictable Resource Location(5.4)
Total number of alerts in this category: 5
- Abuse of Functionality(6.1)
Total number of alerts in this category: 8
- Denial of Service(6.2)
No alerts in this category
- Insufficient Anti-automation(6.3)
Total number of alerts in this category: 151
- Insufficient Process Validation(6.4)
Total number of alerts in this category: 151

Compliance According to Categories: A Detailed Report

This section is a detailed report that explains each vulnerability found according to individual compliance categories.

(1.1)Authentication: Brute Force

A Brute Force attack is an automated process of trial and error used to guess a person's username, password, credit-card number or cryptographic key.

Acunetix authentication tester can be used to bruteforce authentication schemes based either on HTTP protocol NTLM or Basic authentication or HTML form based authentication.

Total number of alerts in this category: 1

Alerts in this category

Weak password

This page is using a weak password. Acunetix WVS was able to guess the credentials required to access this page. A weak password is short, common, a system default, or something that could be rapidly guessed by executing a brute force attack using a subset of all possible passwords, such as words in the dictionary, proper names, words based on the user name or common variations on these themes.

cvss2	Base Score: 7.5 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/userinfo.php
Affected parameter	
Variants	

(1.2)Insufficient Authentication

Insufficient Authentication occurs when a web site permits an attacker to access sensitive content or functionality without having to properly authenticate. Web-based administration tools are a good example of web sites providing access to sensitive functionality. Depending on the specific online resource, these web applications should not be directly accessible without the user required to properly verify their identity.

To get around setting up authentication, some resources are protected by "hiding" the specific location and not linking the location into the main web site or other public places. However, this approach is nothing more than "Security Through Obscurity". Its important to understand that simply because a resource is unknown to an attacker, it still remains accessible directly through a specific URL. The specific URL could be discovered through a Brute Force probing for common file and directory locations (/admin for example), error messages, referrer logs, or perhaps documented in help files. These resources, whether they are content or functionality driven, should be adequately protected.

Total number of alerts in this category: 1

Alerts in this category

Weak password

This page is using a weak password. Acunetix WVS was able to guess the credentials required to access this page. A weak password is short, common, a system default, or something that could be rapidly guessed by executing a brute force attack using a subset of all possible passwords, such as words in the dictionary, proper names, words based on the user name or common variations on these themes.

cvss2	Base Score: 7.5 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/userinfo.php
Affected parameter	
Variants	

(1.3)Weak Password Recovery Validation

Weak Password Recovery Validation is when a web site permits an attacker to illegally obtain, change or recover another user's password. Conventional web site authentication methods require users to select and remember a password or passphrase. The user should be the only person that knows the password and it must be remembered precisely. As time passes, a user's ability to remember a password fades. The matter is further complicated when the average user visits 20 sites requiring them to supply a password. (RSA Survey: <http://news.bbc.co.uk/1/hi/technology/3639679.stm>) Thus, Password Recovery is an important part in servicing online users.

Total number of alerts in this category: 151

Alerts in this category

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php

Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php

Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/search.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low

cvss3	Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial
--	--

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/comment.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form

of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None

CWE	CWE-79
Affected item	/hpp/index.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	---

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/AJAX/showxml.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/404.php
Affected parameter	
Variants	

Directory traversal

This script is possibly vulnerable to directory traversal attacks.

Directory Traversal is a vulnerability which allows attackers to access restricted directories and read files outside of the web server's root directory.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-22
Affected item	/showimage.php
Affected parameter	
Variants	

Macromedia Dreamweaver remote database scripts

Macromedia Dreamweaver has created a directory (_mmServerScripts or _mmDBScripts) that contains scripts for testing database connectivity. One of these scripts (mmhttpdb.php or mmhttpdb.asp) can be accessed without user ID or password and contains numerous operations, such as listing Datasource Names or executing arbitrary SQL queries.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Official_fix Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2004-1893
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

nginx SPDY heap buffer overflow

A heap-based buffer overflow in the SPDY implementation in nginx 1.3.15 before 1.4.7 and 1.5.x before 1.5.12 allows remote attackers to execute arbitrary code via a crafted request. The problem affects nginx compiled with the ngx_http_spdy_module module (which is not compiled by default) and without --with-debug configure option, if the "spdy" option of the "listen" directive is used in a configuration file.

cvss2	Base Score: 5.1 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Proof_of_concept Remediation Level: Official_fix Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2014-0133
CWE	CWE-122
Affected item	Web Server
Affected parameter	
Variants	

PHP allow_url_fopen enabled (AcuSensor)

The PHP configuration directive allow_url_fopen is enabled. When enabled, this directive allows data retrieval from remote locations (web site or FTP server). A large number of code injection vulnerabilities reported in PHP-based web applications are caused by the combination of enabling allow_url_fopen and bad input filtering.

allow_url_fopen is enabled by default.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

Remote file inclusion XSS

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. The server opens arbitrary URLs and puts the content retrieved from the URL into the response without filtering.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

Script source code disclosure

It is possible to read the source code of this script by using script filename as a parameter. It seems that this script includes a file which name is determined using user-supplied data. This data is not properly validated before being passed to the include function.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/showimage.php
Affected parameter	
Variants	

Server side request forgery

SSRF as in Server Side Request Forgery is a vulnerability that allows an attacker to force server interfaces into sending packets initiated by the victim server to the local interface or to another server behind the firewall. Consult Web References for more information about this problem.

cvss2	Base Score: 5.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.0 Attack Vector: Network Attack Complexity: High Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: High
CWE	CWE-918
Affected item	/showimage.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Weak password

This page is using a weak password. Acunetix WVS was able to guess the credentials required to access this page. A weak password is short, common, a system default, or something that could be rapidly guessed by executing a brute force attack using a subset of all possible passwords, such as words in the dictionary, proper names, words based on the user name or common variations on these themes.

cvss2	Base Score: 7.5 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/userinfo.php
Affected parameter	
Variants	

.htaccess file readable

This directory contains an **.htaccess** file that is readable. This may indicate a server misconfiguration. htaccess files are designed to be parsed by web server and should not be directly accessible. These files could contain sensitive information that could help an attacker to conduct further attacks. It's recommended to restrict access to this file.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None
--	---

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial
--	---

cvss2	Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None

	Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.zip
Affected parameter	
Variants	

CRLF injection/HTTP response splitting

This script is possibly vulnerable to CRLF injection attacks.

HTTP headers have the structure "Key: Value", where each line is separated by the CRLF combination. If the user input is injected into the value section without properly escaping/removing CRLF characters it is possible to alter the HTTP headers

structure.

HTTP Response Splitting is a new application attack technique which enables various new attacks such as web cache poisoning, cross user defacement, hijacking pages with sensitive user information and cross-site scripting (XSS). The attacker sends a single HTTP request that forces the web server to form an output stream, which is then interpreted by the target as two HTTP responses instead of one response.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.4 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-113
Affected item	/redir.php
Affected parameter	
Variants	

Cross domain data hijacking

This page is possibly vulnerable to Cross domain data hijacking. If an attacker can create/upload a malicious Flash (SWF) file or control the top part of any page he can perform an attack known as **Cross domain data hijacking**. The Content-Type of the response doesn't matter. If the file is embedded using an <object> tag, it will be executed as a Flash file as long as the content of the file looks like a valid Flash file.

Here is the attack scenario:

- An attacker creates a malicious Flash (SWF) file
- The attacker changes the file extension to JPG
- The attacker uploads the file to victim.com
- The attacker embeds the file on attacker.com using an tag with type "application/x-shockwave-flash"
- The victim visits attacker.com, loads the file as embedded with the tag
- The attacker can now send and receive arbitrary requests to victim.com using the victims session
- The attacker sends a request to victim.com and extracts the CSRF token from the response

There are many ways to perform this attack. The attacker doesn't need to upload a file. The only requirement is that an attacker can control the data on a location of the target domain. One way is to abuse a JSONP API. Usually, the attacker can control the output of a JSONP API endpoint by changing the callback parameter. However, if an attacker uses an entire Flash file as callback, we can use it just like we would use an uploaded file in this attack.

A payload could look like this:

```
<object style="height:1px;width:1px;" data="http://victim.com/user/jsonp?callback=CWS%07%0E000;
```

	Base Score: 4.3 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-20
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting (content-sniffing)

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Flash
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/images
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Templates
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Mod_Rewrite_Shop/images

Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/idea
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea/scopes
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/_mmServerScripts
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
-------	--

cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Connections
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	---

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19/scripts
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High

	Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	--

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

	Base Score: 5.0 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	Web Server

Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/login.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined
-------	---

	Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/guestbook.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/comment.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of

malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/signup.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required

	Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/hpp
Affected parameter	
Variants	

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp
Affected parameter	
Variants	

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined
-------	---

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp/index.php
Affected parameter	
Variants	

Insecure crossdomain.xml file

The browser security model normally prevents web content from one domain from accessing data from another domain. This is commonly known as the "same origin policy". URL policy files grant cross-domain permissions for reading data. They permit operations that are not permitted by default. The URL policy file is located, by default, in the root directory of the target server, with the name crossdomain.xml (for example, at www.example.com/crossdomain.xml).

When a domain is specified in crossdomain.xml file, the site declares that it is willing to allow the operators of any servers in that domain to obtain any document on the server where the policy file resides. The crossdomain.xml file deployed on this website opens the server to all domains (use of a single asterisk "*" as a pure wildcard is supported) like so:

```
<cross-domain-policy>

<allow-access-from domain="*" />

</cross-domain-policy>
```

This practice is suitable for public servers, but should not be used for sites located behind a firewall because it could permit access to protected areas. It should not be used for sites that require authentication in the form of passwords or cookies. Sites that use the common practice of authentication based on cookies to access private or user-specific data should be especially careful when using cross-domain policy files.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-284
Affected item	Web Server
Affected parameter	
Variants	

JetBrains .idea project directory

The .idea directory contains a set of configuration files (.xml) for your project. These configuration files contain information core to the project itself, such as names and locations of its component modules, compiler settings, etc. If you've defined a data source the file dataSources.ids contains information for connecting to the database and credentials. The workspace.xml file stores personal settings such as placement and positions of your windows, your VCS and History settings, and other data pertaining to the development environment. It also contains a list of changed files and other sensitive information. These files should not be present on a production system.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	Web Server
Affected parameter	
Variants	

PHP errors enabled (AcuSensor)

The display_errors directive determines whether error messages should be sent to the browser. These messages frequently contain sensitive information about your web application environment, and should never be presented to untrusted sources.

display_errors is on by default.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server

Affected parameter	
Variants	

PHPinfo page found

This script is using phpinfo() function. This function outputs a large amount of information about the current state of PHP. This includes information about PHP compilation options and extensions, the PHP version, server information and environment (if compiled as a module), the PHP environment, OS version information, paths, master and local values of configuration options, HTTP headers, and the PHP License.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None

cvss3	User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures/wp-config.bak
Affected parameter	
Variants	

URL redirection

This script is possibly vulnerable to URL redirection attacks.

URL redirection is sometimes used as a part of phishing attacks that confuse visitors about which web site they are visiting.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	---

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-601
Affected item	/redir.php
Affected parameter	
Variants	

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Workaround Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Affected item	/login.php
Affected parameter	
Variants	

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None
--	---

cvss2	Availability Impact: None Exploitability: High Remediation Level: Workaround Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Affected item	/signup.php
Affected parameter	
Variants	

WS_FTP log file found

WS_FTP is a popular FTP client. This application creates a log file named WS_FTP.LOG. This file contains sensitive data such as file source/destination and file name, date/time of upload etc.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/pictures/WS_FTP.LOG
Affected parameter	
Variants	

Clickjacking: X-Frame-Options header missing

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server didn't return an **X-Frame-Options** header which means that this website could be at risk of a clickjacking attack. The X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into other sites.

	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium
--	---

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-693
Affected item	Web Server
Affected parameter	
Variants	

Hidden form input named price was found

A hidden form input named price was found. It's not recommended to hide sensitive information in hidden form fields.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/product.php
Affected parameter	
Variants	

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	--

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	/userinfo.php
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/admin
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined
-------	---

	Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/CVS
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured
Affected parameter	
Variants	

Possible virtual host found

Virtual hosting is a method for hosting multiple domain names (with separate handling of each name) on a single server (or pool of servers). This allows one server to share its resources, such as memory and processor cycles, without requiring all services provided to use the same host name.

This web server is responding differently when the Host header is manipulated and various common virtual hosts are tested. This could indicate there is a Virtual Host present.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/privacy.php
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/color-printer/3
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/web-camera-a4tech/2
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/medias/css/main.css
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/medias/js/common_functions.js
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

--	--

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/secured/office_files/filelist.xml
Affected parameter	
Variants	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

Microsoft Office possible sensitive information

This document has been converted to HTML using Microsoft Office. It seems that Office has included sensitive information during the conversion.

	Base Score: 5.0
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/office.htm
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/login.php
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/signup.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/404.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/ipaddresses.txt
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined
-------	---

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None

	Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/credentials.txt
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	--

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

(2.1)Credential/Session Prediction

Credential/Session Prediction is a method of hijacking or impersonating a web site user. Deducing or guessing the unique value that identifies a particular session or user accomplishes the attack. Also known as Session Hijacking, the consequences could allow attackers the ability to issue web site requests with the compromised user's privileges.

Total number of alerts in this category: 151

Alerts in this category

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None

CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial
--	---

cvss2	Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	---

	Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php

Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php

Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	---

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/search.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php

Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/comment.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low

cvss3	Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial
--	--

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/index.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/AJAX/showxml.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/404.php
Affected parameter	
Variants	

Directory traversal

This script is possibly vulnerable to directory traversal attacks.

Directory Traversal is a vulnerability which allows attackers to access restricted directories and read files outside of the web

server's root directory.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-22
Affected item	/showimage.php
Affected parameter	
Variants	

Macromedia Dreamweaver remote database scripts

Macromedia Dreamweaver has created a directory (_mmServerScripts or _mmDBScripts) that contains scripts for testing database connectivity. One of these scripts (mmhttpdb.php or mmhttpdb.asp) can be accessed without user ID or password and contains numerous operations, such as listing Datasource Names or executing arbitrary SQL queries.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Official_fix Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2004-1893
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

nginx SPDY heap buffer overflow

A heap-based buffer overflow in the SPDY implementation in nginx 1.3.15 before 1.4.7 and 1.5.x before 1.5.12 allows remote attackers to execute arbitrary code via a crafted request. The problem affects nginx compiled with the ngx_http_spdy_module module (which is not compiled by default) and without --with-debug configure option, if the "spdy" option of the "listen" directive is used in a configuration file.

cvss2	Base Score: 5.1 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Proof_of_concept Remediation Level: Official_fix Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2014-0133
CWE	CWE-122
Affected item	Web Server
Affected parameter	
Variants	

PHP allow_url_fopen enabled (AcuSensor)

The PHP configuration directive allow_url_fopen is enabled. When enabled, this directive allows data retrieval from remote locations (web site or FTP server). A large number of code injection vulnerabilities reported in PHP-based web applications are caused by the combination of enabling allow_url_fopen and bad input filtering.

allow_url_fopen is enabled by default.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

Remote file inclusion XSS

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. The server opens arbitrary URLs and puts the content retrieved from the URL into the response without filtering.

--	--

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

Script source code disclosure

It is possible to read the source code of this script by using script filename as a parameter. It seems that this script includes a file which name is determined using user-supplied data. This data is not properly validated before being passed to the include function.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/showimage.php
Affected parameter	
Variants	

Server side request forgery

SSRF as in Server Side Request Forgery is a vulnerability that allows an attacker to force server interfaces into sending packets initiated by the victim server to the local interface or to another server behind the firewall. Consult Web References for more information about this problem.

	Base Score: 5.8
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.0 Attack Vector: Network Attack Complexity: High Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: High
CWE	CWE-918
Affected item	/showimage.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined
-------	--

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Weak password

This page is using a weak password. Acunetix WVS was able to guess the credentials required to access this page. A weak password is short, common, a system default, or something that could be rapidly guessed by executing a brute force attack using a subset of all possible passwords, such as words in the dictionary, proper names, words based on the user name or common variations on these themes.

cvss2	Base Score: 7.5 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	--

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/userinfo.php
Affected parameter	
Variants	

.htaccess file readable

This directory contains an **.htaccess** file that is readable. This may indicate a server misconfiguration. htaccess files are designed to be parsed by web server and should not be directly accessible. These files could contain sensitive information that could help an attacker to conduct further attacks. It's recommended to restrict access to this file.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	--

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.zip
Affected parameter	
Variants	

CRLF injection/HTTP response splitting

This script is possibly vulnerable to CRLF injection attacks.

HTTP headers have the structure "Key: Value", where each line is separated by the CRLF combination. If the user input is injected into the value section without properly escaping/removing CRLF characters it is possible to alter the HTTP headers structure.

HTTP Response Splitting is a new application attack technique which enables various new attacks such as web cache poisoning, cross user defacement, hijacking pages with sensitive user information and cross-site scripting (XSS). The attacker sends a single HTTP request that forces the web server to form an output stream, which is then interpreted by the target as two HTTP responses instead of one response.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.4 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-113
Affected item	/redir.php
Affected parameter	
Variants	

Cross domain data hijacking

This page is possibly vulnerable to Cross domain data hijacking. If an attacker can create/upload a malicious Flash (SWF) file or control the top part of any page he can perform an attack known as **Cross domain data hijacking**. The Content-Type of the response doesn't matter. If the file is embedded using an <object> tag, it will be executed as a Flash file as long as the content of the file looks like a valid Flash file.

Here is the attack scenario:

- An attacker creates a malicious Flash (SWF) file
- The attacker changes the file extension to JPG
- The attacker uploads the file to victim.com
- The attacker embeds the file on attacker.com using an tag with type "application/x-shockwave-flash"
- The victim visits attacker.com, loads the file as embedded with the tag
- The attacker can now send and receive arbitrary requests to victim.com using the victims session
- The attacker sends a request to victim.com and extracts the CSRF token from the response

There are many ways to perform this attack. The attacker doesn't need to upload a file. The only requirement is that an attacker can control the data on a location of the target domain. One way is to abuse a JSONP API. Usually, the attacker can control the output of a JSONP API endpoint by changing the callback parameter. However, if an attacker uses an entire Flash file as callback, we can use it just like we would use an uploaded file in this attack.

A payload could look like this:

```
<object style="height:1px;width:1px;" data="http://victim.com/user/jsonp?callback=CWS%07%0E000:
```

cvss2	Base Score: 4.3 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-20
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting (content-sniffing)

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Flash
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/images
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Templates
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Mod_Rewrite_Shop/images
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea

Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea/scopes
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/_mmServerScripts
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Connections
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
-------	--

cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	---

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19/scripts
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

	Base Score: 5.0
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined
-------	---

	Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	Web Server
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None

	Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/login.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/guestbook.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial
--	--

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/comment.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/signup.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/hpp
Affected parameter	
Variants	

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low

cvss3	Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp
Affected parameter	
Variants	

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp/index.php
Affected parameter	
Variants	

Insecure crossdomain.xml file

The browser security model normally prevents web content from one domain from accessing data from another domain. This is commonly known as the "same origin policy". URL policy files grant cross-domain permissions for reading data. They permit operations that are not permitted by default. The URL policy file is located, by default, in the root directory of the target server, with the name crossdomain.xml (for example, at www.example.com/crossdomain.xml).

When a domain is specified in crossdomain.xml file, the site declares that it is willing to allow the operators of any servers in that domain to obtain any document on the server where the policy file resides. The crossdomain.xml file deployed on this website opens the server to all domains (use of a single asterisk "*" as a pure wildcard is supported) like so:

```
<cross-domain-policy>

<allow-access-from domain="*" />

</cross-domain-policy>
```

This practice is suitable for public servers, but should not be used for sites located behind a firewall because it could permit access to protected areas. It should not be used for sites that require authentication in the form of passwords or cookies. Sites that use the common practice of authentication based on cookies to access private or user-specific data should be especially careful when using cross-domain policy files.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-284
Affected item	Web Server
Affected parameter	
Variants	

JetBrains .idea project directory

The .idea directory contains a set of configuration files (.xml) for your project. These configuration files contain information core to the project itself, such as names and locations of its component modules, compiler settings, etc. If you've defined a data source the file dataSources.ids contains information for connecting to the database and credentials. The workspace.xml file stores personal settings such as placement and positions of your windows, your VCS and History settings, and other data pertaining to the development environment. It also contains a list of changed files and other sensitive information. These files should not be present on a production system.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	--

	Target Distribution: Not_defined
CWE	CWE-538
Affected item	Web Server
Affected parameter	
Variants	

PHP errors enabled (AcuSensor)

The display_errors directive determines whether error messages should be sent to the browser. These messages frequently contain sensitive information about your web application environment, and should never be presented to untrusted sources.

display_errors is on by default.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

PHPinfo page found

This script is using phpinfo() function. This function outputs a large amount of information about the current state of PHP. This includes information about PHP compilation options and extensions, the PHP version, server information and environment (if compiled as a module), the PHP environment, OS version information, paths, master and local values of configuration options, HTTP headers, and the PHP License.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High

	Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5

cvss3	Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures/wp-config.bak
Affected parameter	
Variants	

URL redirection

This script is possibly vulnerable to URL redirection attacks.

URL redirection is sometimes used as a part of phishing attacks that confuse visitors about which web site they are visiting.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-601
Affected item	/redir.php
Affected parameter	
Variants	

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Workaround
-------	---

	Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Affected item	/login.php
Affected parameter	
Variants	

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Workaround Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Affected item	/signup.php
Affected parameter	
Variants	

WS_FTP log file found

WS_FTP is a popular FTP client. This application creates a log file named WS_FTP.LOG. This file contains sensitive data such as file source/destination and file name, date/time of upload etc.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/pictures/WS_FTP.LOG
Affected parameter	
Variants	

Clickjacking: X-Frame-Options header missing

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server didn't return an **X-Frame-Options** header which means that this website could be at risk of a clickjacking attack. The X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into other sites.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-693
Affected item	Web Server
Affected parameter	
Variants	

Hidden form input named price was found

A hidden form input named price was found. It's not recommended to hide sensitive information in hidden form fields.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined
-------	---

	Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/product.php
Affected parameter	
Variants	

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	/userinfo.php
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None
--	--

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	--

	Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/admin
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/CVS
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None
--	---

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured
Affected parameter	
Variants	

Possible virtual host found

Virtual hosting is a method for hosting multiple domain names (with separate handling of each name) on a single server (or pool of servers). This allows one server to share its resources, such as memory and processor cycles, without requiring all services provided to use the same host name.

This web server is responding differently when the Host header is manipulated and various common virtual hosts are tested. This could indicate there is a Virtual Host present.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/privacy.php
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/color-printer/3
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/web-camera-a4tech/2
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/medias/css/main.css
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/medias/js/common_functions.js
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/secured/office_files/filelist.xml
Affected parameter	
Variants	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None
--	--

cvss2	Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

Microsoft Office possible sensitive information

This document has been converted to HTML using Microsoft Office. It seems that Office has included sensitive information during the conversion.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/office.htm
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/login.php
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200

Affected item	/signup.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/404.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	--

	Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/ipaddresses.txt
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

	Base Score: 5.0 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/credentials.txt
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

(2.2)Insufficient Authorization

Insufficient Authorization is when a web site permits access to sensitive content or functionality that should require increased access control restrictions. When a user is authenticated to a web site, it does not necessarily mean that he should have full access to all content and that functionality should be granted arbitrarily.

Authorization procedures are performed after authentication, enforcing what a user, service or application is permitted to do. Thoughtful restrictions should govern particular web site activity according to policy. Sensitive portions of a web site may need to be restricted to everyone expect to perhaps an administrator.

Total number of alerts in this category: 151

Alerts in this category

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php

Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php

Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/search.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low

cvss3	Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial
--	--

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/comment.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form

of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None

CWE	CWE-79
Affected item	/hpp/index.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	---

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/AJAX/showxml.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/404.php
Affected parameter	
Variants	

Directory traversal

This script is possibly vulnerable to directory traversal attacks.

Directory Traversal is a vulnerability which allows attackers to access restricted directories and read files outside of the web server's root directory.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-22
Affected item	/showimage.php
Affected parameter	
Variants	

Macromedia Dreamweaver remote database scripts

Macromedia Dreamweaver has created a directory (_mmServerScripts or _mmDBScripts) that contains scripts for testing database connectivity. One of these scripts (mmhttpdb.php or mmhttpdb.asp) can be accessed without user ID or password and contains numerous operations, such as listing Datasource Names or executing arbitrary SQL queries.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Official_fix Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2004-1893
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

nginx SPDY heap buffer overflow

A heap-based buffer overflow in the SPDY implementation in nginx 1.3.15 before 1.4.7 and 1.5.x before 1.5.12 allows remote attackers to execute arbitrary code via a crafted request. The problem affects nginx compiled with the ngx_http_spdy_module module (which is not compiled by default) and without --with-debug configure option, if the "spdy" option of the "listen" directive is used in a configuration file.

cvss2	Base Score: 5.1 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Proof_of_concept Remediation Level: Official_fix Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2014-0133
CWE	CWE-122
Affected item	Web Server
Affected parameter	
Variants	

PHP allow_url_fopen enabled (AcuSensor)

The PHP configuration directive allow_url_fopen is enabled. When enabled, this directive allows data retrieval from remote locations (web site or FTP server). A large number of code injection vulnerabilities reported in PHP-based web applications are caused by the combination of enabling allow_url_fopen and bad input filtering.

allow_url_fopen is enabled by default.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

Remote file inclusion XSS

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. The server opens arbitrary URLs and puts the content retrieved from the URL into the response without filtering.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

Script source code disclosure

It is possible to read the source code of this script by using script filename as a parameter. It seems that this script includes a file which name is determined using user-supplied data. This data is not properly validated before being passed to the include function.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/showimage.php
Affected parameter	
Variants	

Server side request forgery

SSRF as in Server Side Request Forgery is a vulnerability that allows an attacker to force server interfaces into sending packets initiated by the victim server to the local interface or to another server behind the firewall. Consult Web References for more information about this problem.

cvss2	Base Score: 5.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.0 Attack Vector: Network Attack Complexity: High Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: High
CWE	CWE-918
Affected item	/showimage.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Weak password

This page is using a weak password. Acunetix WVS was able to guess the credentials required to access this page. A weak password is short, common, a system default, or something that could be rapidly guessed by executing a brute force attack using a subset of all possible passwords, such as words in the dictionary, proper names, words based on the user name or common variations on these themes.

cvss2	Base Score: 7.5 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/userinfo.php
Affected parameter	
Variants	

.htaccess file readable

This directory contains an **.htaccess** file that is readable. This may indicate a server misconfiguration. htaccess files are designed to be parsed by web server and should not be directly accessible. These files could contain sensitive information that could help an attacker to conduct further attacks. It's recommended to restrict access to this file.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None
--	---

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial
--	---

cvss2	Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None

	Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.zip
Affected parameter	
Variants	

CRLF injection/HTTP response splitting

This script is possibly vulnerable to CRLF injection attacks.

HTTP headers have the structure "Key: Value", where each line is separated by the CRLF combination. If the user input is injected into the value section without properly escaping/removing CRLF characters it is possible to alter the HTTP headers

structure.

HTTP Response Splitting is a new application attack technique which enables various new attacks such as web cache poisoning, cross user defacement, hijacking pages with sensitive user information and cross-site scripting (XSS). The attacker sends a single HTTP request that forces the web server to form an output stream, which is then interpreted by the target as two HTTP responses instead of one response.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.4 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-113
Affected item	/redir.php
Affected parameter	
Variants	

Cross domain data hijacking

This page is possibly vulnerable to Cross domain data hijacking. If an attacker can create/upload a malicious Flash (SWF) file or control the top part of any page he can perform an attack known as **Cross domain data hijacking**. The Content-Type of the response doesn't matter. If the file is embedded using an <object> tag, it will be executed as a Flash file as long as the content of the file looks like a valid Flash file.

Here is the attack scenario:

- An attacker creates a malicious Flash (SWF) file
- The attacker changes the file extension to JPG
- The attacker uploads the file to victim.com
- The attacker embeds the file on attacker.com using an tag with type "application/x-shockwave-flash"
- The victim visits attacker.com, loads the file as embedded with the tag
- The attacker can now send and receive arbitrary requests to victim.com using the victims session
- The attacker sends a request to victim.com and extracts the CSRF token from the response

There are many ways to perform this attack. The attacker doesn't need to upload a file. The only requirement is that an attacker can control the data on a location of the target domain. One way is to abuse a JSONP API. Usually, the attacker can control the output of a JSONP API endpoint by changing the callback parameter. However, if an attacker uses an entire Flash file as callback, we can use it just like we would use an uploaded file in this attack.

A payload could look like this:

```
<object style="height:1px;width:1px;" data="http://victim.com/user/jsonp?callback=CWS%07%0E000:
```

	Base Score: 4.3 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-20
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting (content-sniffing)

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Flash
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/images
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Templates
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Mod_Rewrite_Shop/images

Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/idea
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea/scopes
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/_mmServerScripts
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
-------	--

cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Connections
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	---

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19/scripts
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High

	Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	--

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

	Base Score: 5.0 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	Web Server

Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/login.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined
-------	---

	Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/guestbook.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/comment.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of

malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/signup.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required

	Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/hpp
Affected parameter	
Variants	

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp
Affected parameter	
Variants	

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined
-------	---

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp/index.php
Affected parameter	
Variants	

Insecure crossdomain.xml file

The browser security model normally prevents web content from one domain from accessing data from another domain. This is commonly known as the "same origin policy". URL policy files grant cross-domain permissions for reading data. They permit operations that are not permitted by default. The URL policy file is located, by default, in the root directory of the target server, with the name crossdomain.xml (for example, at www.example.com/crossdomain.xml).

When a domain is specified in crossdomain.xml file, the site declares that it is willing to allow the operators of any servers in that domain to obtain any document on the server where the policy file resides. The crossdomain.xml file deployed on this website opens the server to all domains (use of a single asterisk "*" as a pure wildcard is supported) like so:

```
<cross-domain-policy>

<allow-access-from domain="*" />

</cross-domain-policy>
```

This practice is suitable for public servers, but should not be used for sites located behind a firewall because it could permit access to protected areas. It should not be used for sites that require authentication in the form of passwords or cookies. Sites that use the common practice of authentication based on cookies to access private or user-specific data should be especially careful when using cross-domain policy files.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-284
Affected item	Web Server
Affected parameter	
Variants	

JetBrains .idea project directory

The .idea directory contains a set of configuration files (.xml) for your project. These configuration files contain information core to the project itself, such as names and locations of its component modules, compiler settings, etc. If you've defined a data source the file dataSources.ids contains information for connecting to the database and credentials. The workspace.xml file stores personal settings such as placement and positions of your windows, your VCS and History settings, and other data pertaining to the development environment. It also contains a list of changed files and other sensitive information. These files should not be present on a production system.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	Web Server
Affected parameter	
Variants	

PHP errors enabled (AcuSensor)

The display_errors directive determines whether error messages should be sent to the browser. These messages frequently contain sensitive information about your web application environment, and should never be presented to untrusted sources.

display_errors is on by default.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server

Affected parameter	
Variants	

PHPinfo page found

This script is using phpinfo() function. This function outputs a large amount of information about the current state of PHP. This includes information about PHP compilation options and extensions, the PHP version, server information and environment (if compiled as a module), the PHP environment, OS version information, paths, master and local values of configuration options, HTTP headers, and the PHP License.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None

cvss3	User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures/wp-config.bak
Affected parameter	
Variants	

URL redirection

This script is possibly vulnerable to URL redirection attacks.

URL redirection is sometimes used as a part of phishing attacks that confuse visitors about which web site they are visiting.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	---

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-601
Affected item	/redir.php
Affected parameter	
Variants	

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Workaround Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Affected item	/login.php
Affected parameter	
Variants	

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None
--	---

cvss2	Availability Impact: None Exploitability: High Remediation Level: Workaround Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Affected item	/signup.php
Affected parameter	
Variants	

WS_FTP log file found

WS_FTP is a popular FTP client. This application creates a log file named WS_FTP.LOG. This file contains sensitive data such as file source/destination and file name, date/time of upload etc.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/pictures/WS_FTP.LOG
Affected parameter	
Variants	

Clickjacking: X-Frame-Options header missing

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server didn't return an **X-Frame-Options** header which means that this website could be at risk of a clickjacking attack. The X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into other sites.

	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium
--	---

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-693
Affected item	Web Server
Affected parameter	
Variants	

Hidden form input named price was found

A hidden form input named price was found. It's not recommended to hide sensitive information in hidden form fields.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/product.php
Affected parameter	
Variants	

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	--

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	/userinfo.php
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/admin
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined
-------	---

	Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/CVS
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured
Affected parameter	
Variants	

Possible virtual host found

Virtual hosting is a method for hosting multiple domain names (with separate handling of each name) on a single server (or pool of servers). This allows one server to share its resources, such as memory and processor cycles, without requiring all services provided to use the same host name.

This web server is responding differently when the Host header is manipulated and various common virtual hosts are tested. This could indicate there is a Virtual Host present.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/privacy.php
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/color-printer/3
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/web-camera-a4tech/2
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/medias/css/main.css
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/medias/js/common_functions.js
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

--	--

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/secured/office_files/filelist.xml
Affected parameter	
Variants	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

Microsoft Office possible sensitive information

This document has been converted to HTML using Microsoft Office. It seems that Office has included sensitive information during the conversion.

	Base Score: 5.0
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/office.htm
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/login.php
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/signup.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/404.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/ipaddresses.txt
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined
-------	---

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None

	Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/credentials.txt
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	--

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

(2.3)Insufficient Session Expiration

Insufficient Session Expiration is when a web site permits an attacker to reuse old session credentials or session IDs for authorization. Insufficient Session Expiration increases a web site's exposure to attacks that steal or impersonate other users.

Total number of alerts in this category: 151

Alerts in this category

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined
-------	--

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php

Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php

Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	---

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/search.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php

Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/comment.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low

cvss3	Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial
--	--

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hnp/index.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/AJAX/showxml.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/404.php
Affected parameter	
Variants	

Directory traversal

This script is possibly vulnerable to directory traversal attacks.

Directory Traversal is a vulnerability which allows attackers to access restricted directories and read files outside of the web

server's root directory.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-22
Affected item	/showimage.php
Affected parameter	
Variants	

Macromedia Dreamweaver remote database scripts

Macromedia Dreamweaver has created a directory (_mmServerScripts or _mmDBScripts) that contains scripts for testing database connectivity. One of these scripts (mmhttpdb.php or mmhttpdb.asp) can be accessed without user ID or password and contains numerous operations, such as listing Datasource Names or executing arbitrary SQL queries.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Official_fix Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2004-1893
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

nginx SPDY heap buffer overflow

A heap-based buffer overflow in the SPDY implementation in nginx 1.3.15 before 1.4.7 and 1.5.x before 1.5.12 allows remote attackers to execute arbitrary code via a crafted request. The problem affects nginx compiled with the ngx_http_spdy_module module (which is not compiled by default) and without --with-debug configure option, if the "spdy" option of the "listen" directive is used in a configuration file.

cvss2	Base Score: 5.1 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Proof_of_concept Remediation Level: Official_fix Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2014-0133
CWE	CWE-122
Affected item	Web Server
Affected parameter	
Variants	

PHP allow_url_fopen enabled (AcuSensor)

The PHP configuration directive allow_url_fopen is enabled. When enabled, this directive allows data retrieval from remote locations (web site or FTP server). A large number of code injection vulnerabilities reported in PHP-based web applications are caused by the combination of enabling allow_url_fopen and bad input filtering.

allow_url_fopen is enabled by default.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

Remote file inclusion XSS

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. The server opens arbitrary URLs and puts the content retrieved from the URL into the response without filtering.

--	--

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

Script source code disclosure

It is possible to read the source code of this script by using script filename as a parameter. It seems that this script includes a file which name is determined using user-supplied data. This data is not properly validated before being passed to the include function.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/showimage.php
Affected parameter	
Variants	

Server side request forgery

SSRF as in Server Side Request Forgery is a vulnerability that allows an attacker to force server interfaces into sending packets initiated by the victim server to the local interface or to another server behind the firewall. Consult Web References for more information about this problem.

	Base Score: 5.8
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.0 Attack Vector: Network Attack Complexity: High Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: High
CWE	CWE-918
Affected item	/showimage.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined
-------	--

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Weak password

This page is using a weak password. Acunetix WVS was able to guess the credentials required to access this page. A weak password is short, common, a system default, or something that could be rapidly guessed by executing a brute force attack using a subset of all possible passwords, such as words in the dictionary, proper names, words based on the user name or common variations on these themes.

cvss2	Base Score: 7.5 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	--

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/userinfo.php
Affected parameter	
Variants	

.htaccess file readable

This directory contains an **.htaccess** file that is readable. This may indicate a server misconfiguration. htaccess files are designed to be parsed by web server and should not be directly accessible. These files could contain sensitive information that could help an attacker to conduct further attacks. It's recommended to restrict access to this file.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	--

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.zip
Affected parameter	
Variants	

CRLF injection/HTTP response splitting

This script is possibly vulnerable to CRLF injection attacks.

HTTP headers have the structure "Key: Value", where each line is separated by the CRLF combination. If the user input is injected into the value section without properly escaping/removing CRLF characters it is possible to alter the HTTP headers structure.

HTTP Response Splitting is a new application attack technique which enables various new attacks such as web cache poisoning, cross user defacement, hijacking pages with sensitive user information and cross-site scripting (XSS). The attacker sends a single HTTP request that forces the web server to form an output stream, which is then interpreted by the target as two HTTP responses instead of one response.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.4 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-113
Affected item	/redir.php
Affected parameter	
Variants	

Cross domain data hijacking

This page is possibly vulnerable to Cross domain data hijacking. If an attacker can create/upload a malicious Flash (SWF) file or control the top part of any page he can perform an attack known as **Cross domain data hijacking**. The Content-Type of the response doesn't matter. If the file is embedded using an <object> tag, it will be executed as a Flash file as long as the content of the file looks like a valid Flash file.

Here is the attack scenario:

- An attacker creates a malicious Flash (SWF) file
- The attacker changes the file extension to JPG
- The attacker uploads the file to victim.com
- The attacker embeds the file on attacker.com using an tag with type "application/x-shockwave-flash"
- The victim visits attacker.com, loads the file as embedded with the tag
- The attacker can now send and receive arbitrary requests to victim.com using the victims session
- The attacker sends a request to victim.com and extracts the CSRF token from the response

There are many ways to perform this attack. The attacker doesn't need to upload a file. The only requirement is that an attacker can control the data on a location of the target domain. One way is to abuse a JSONP API. Usually, the attacker can control the output of a JSONP API endpoint by changing the callback parameter. However, if an attacker uses an entire Flash file as callback, we can use it just like we would use an uploaded file in this attack.

A payload could look like this:

```
<object style="height:1px;width:1px;" data="http://victim.com/user/jsonp?callback=CWS%07%0E000:
```

cvss2	Base Score: 4.3 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-20
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting (content-sniffing)

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Flash
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/images
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Templates
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Mod_Rewrite_Shop/images
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea

Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea/scopes
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/_mmServerScripts
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Connections
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
-------	--

cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	---

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19/scripts
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

	Base Score: 5.0
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined
-------	---

	Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	Web Server
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None

	Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/login.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/guestbook.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial
--	--

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/comment.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/signup.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/hpp
Affected parameter	
Variants	

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low

cvss3	Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp
Affected parameter	
Variants	

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp/index.php
Affected parameter	
Variants	

Insecure crossdomain.xml file

The browser security model normally prevents web content from one domain from accessing data from another domain. This is commonly known as the "same origin policy". URL policy files grant cross-domain permissions for reading data. They permit operations that are not permitted by default. The URL policy file is located, by default, in the root directory of the target server, with the name crossdomain.xml (for example, at www.example.com/crossdomain.xml).

When a domain is specified in crossdomain.xml file, the site declares that it is willing to allow the operators of any servers in that domain to obtain any document on the server where the policy file resides. The crossdomain.xml file deployed on this website opens the server to all domains (use of a single asterisk "*" as a pure wildcard is supported) like so:

```

<cross-domain-policy>

<allow-access-from domain="*" />

</cross-domain-policy>

```

This practice is suitable for public servers, but should not be used for sites located behind a firewall because it could permit access to protected areas. It should not be used for sites that require authentication in the form of passwords or cookies. Sites that use the common practice of authentication based on cookies to access private or user-specific data should be especially careful when using cross-domain policy files.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-284
Affected item	Web Server
Affected parameter	
Variants	

JetBrains .idea project directory

The .idea directory contains a set of configuration files (.xml) for your project. These configuration files contain information core to the project itself, such as names and locations of its component modules, compiler settings, etc. If you've defined a data source the file dataSources.ids contains information for connecting to the database and credentials. The workspace.xml file stores personal settings such as placement and positions of your windows, your VCS and History settings, and other data pertaining to the development environment. It also contains a list of changed files and other sensitive information. These files should not be present on a production system.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	--

	Target Distribution: Not_defined
CWE	CWE-538
Affected item	Web Server
Affected parameter	
Variants	

PHP errors enabled (AcuSensor)

The display_errors directive determines whether error messages should be sent to the browser. These messages frequently contain sensitive information about your web application environment, and should never be presented to untrusted sources.

display_errors is on by default.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

PHPinfo page found

This script is using phpinfo() function. This function outputs a large amount of information about the current state of PHP. This includes information about PHP compilation options and extensions, the PHP version, server information and environment (if compiled as a module), the PHP environment, OS version information, paths, master and local values of configuration options, HTTP headers, and the PHP License.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High

	Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5

cvss3	Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures/wp-config.bak
Affected parameter	
Variants	

URL redirection

This script is possibly vulnerable to URL redirection attacks.

URL redirection is sometimes used as a part of phishing attacks that confuse visitors about which web site they are visiting.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-601
Affected item	/redir.php
Affected parameter	
Variants	

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Workaround
-------	---

	Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Affected item	/login.php
Affected parameter	
Variants	

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Workaround Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Affected item	/signup.php
Affected parameter	
Variants	

WS_FTP log file found

WS_FTP is a popular FTP client. This application creates a log file named WS_FTP.LOG. This file contains sensitive data such as file source/destination and file name, date/time of upload etc.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/pictures/WS_FTP.LOG
Affected parameter	
Variants	

Clickjacking: X-Frame-Options header missing

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server didn't return an **X-Frame-Options** header which means that this website could be at risk of a clickjacking attack. The X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into other sites.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-693
Affected item	Web Server
Affected parameter	
Variants	

Hidden form input named price was found

A hidden form input named price was found. It's not recommended to hide sensitive information in hidden form fields.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined
-------	---

	Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/product.php
Affected parameter	
Variants	

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	/userinfo.php
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None
--	--

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	--

	Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/admin
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/CVS
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None
--	---

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured
Affected parameter	
Variants	

Possible virtual host found

Virtual hosting is a method for hosting multiple domain names (with separate handling of each name) on a single server (or pool of servers). This allows one server to share its resources, such as memory and processor cycles, without requiring all services provided to use the same host name.

This web server is responding differently when the Host header is manipulated and various common virtual hosts are tested. This could indicate there is a Virtual Host present.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/privacy.php
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/color-printer/3
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/web-camera-a4tech/2
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/medias/css/main.css
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/medias/js/common_functions.js
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/secured/office_files/filelist.xml
Affected parameter	
Variants	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None
--	--

cvss2	Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

Microsoft Office possible sensitive information

This document has been converted to HTML using Microsoft Office. It seems that Office has included sensitive information during the conversion.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/office.htm
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/login.php
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200

Affected item	/signup.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/404.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	--

	Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/ipaddresses.txt
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

	Base Score: 5.0 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/credentials.txt
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

(2.4)Session Fixation

Session Fixation is an attack technique that forces a user's session ID to an explicit value. Depending on the functionality of the target web site, a number of techniques can be utilized to "fix" the session ID value. These techniques range from Cross-site Scripting exploits to peppering the web site with previously made HTTP requests. After a user's session ID has been fixed, the attacker will wait for them to login. Once the user does so, the attacker uses the predefined session ID value to assume their online identity.

No alerts in this category.

(3.1)Content Spoofing

Content Spoofing is an attack technique used to trick a user into believing that certain content appearing on a web site is legitimate and not from an external source.

Some web pages are served using dynamically built HTML content sources. For example, the source location of a frame could be specified by a URL parameter value:

```
http://foo.example/page?frame_src=http://foo.example/file.html
```

An attacker may be able to replace the "frame_src" parameter value with "frame_src=http://attacker.example/spoof.html". When the resulting web page is served, the browser location bar visibly remains under the user expected domain (foo.example), but the foreign data (attacker.example) is shrouded by legitimate content.

No alerts in this category.

(3.2)Cross-site Scripting

Cross-site Scripting (XSS) is an attack technique that forces a web site to echo attacker-supplied executable code, which loads in a user's browser. The code itself is usually written in HTML/JavaScript, but may also extend to VBScript, ActiveX, Java, Flash, or any other browser-supported technology.

When an attacker gets a user's browser to execute his code, the code will run within the security context (or zone) of the hosting web site. With this level of privilege, the code has the ability to read, modify and transmit any sensitive data accessible by the browser. A Cross-site Scripted user could have his account hijacked (cookie theft), their browser redirected to another location, or possibly shown fraudulent content delivered by the web site they are visiting. Crosssite Scripting attacks essentially compromise the trust relationship between a user and the web site.

Total number of alerts in this category: 21

Alerts in this category

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79

Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	---

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/search.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp
Affected parameter	

Variants	
----------	--

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 5.3

cvss3	Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/comment.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None
--	--

cvss2	Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined
-------	--

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/index.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/AJAX/showxml.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/404.php
Affected parameter	
Variants	

Remote file inclusion XSS

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. The server opens arbitrary URLs and puts the content retrieved from the URL into the response without filtering.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

Cross site scripting (content-sniffing)

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

(4.1)Buffer Overflow

Buffer Overflow exploits are attacks that alter the flow of an application by overwriting parts of memory. Buffer Overflow is a common software flaw that results in an error condition. This error condition occurs when data written to memory exceed the allocated size of the buffer. As the buffer is overflowed, adjacent memory addresses are overwritten causing the software to fault or crash. When unrestricted, properly-crafted input can be used to overflow the buffer resulting in a number of security issues.

A Buffer Overflow can be used as a Denial of Service attack when memory is corrupted, resulting in software failure. Even more critical is the ability of a Buffer Overflow attack to alter application flow and force unintended actions. This scenario can occur in several ways. Buffer Overflow vulnerabilities have been used to overwrite stack pointers and redirect the program to execute malicious instructions. Buffer Overflows have also been used to change program variables.

Total number of alerts in this category: 1

Alerts in this category

nginx SPDY heap buffer overflow

A heap-based buffer overflow in the SPDY implementation in nginx 1.3.15 before 1.4.7 and 1.5.x before 1.5.12 allows remote attackers to execute arbitrary code via a crafted request. The problem affects nginx compiled with the ngx_http_spdy_module module (which is not compiled by default) and without --with-debug configure option, if the "spdy" option of the "listen" directive is used in a configuration file.

cvss2	Base Score: 5.1 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Proof_of_concept Remediation Level: Official_fix Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2014-0133
CWE	CWE-122
Affected item	Web Server
Affected parameter	
Variants	

(4.2)Format String Attack

Format String Attacks alter the flow of an application by using string formatting library features to access other memory space. Vulnerabilities occur when user-supplied data are used directly as formatting string input for certain C/C++ functions (e.g. fprintf, printf, sprintf, setproctitle, syslog, ...).

If an attacker passes a format string consisting of printf conversion characters (e.g. "%f", "%p", "%n", etc.) as parameter value to the web application, they may:

- Execute arbitrary code on the server
- Read values off the stack
- Cause segmentation faults / software crashes

Total number of alerts in this category: 151

Alerts in this category

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php

Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php

Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/search.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low

cvss3	Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial
--	--

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/comment.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form

of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None

CWE	CWE-79
Affected item	/hpp/index.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	---

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/AJAX/showxml.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/404.php
Affected parameter	
Variants	

Directory traversal

This script is possibly vulnerable to directory traversal attacks.

Directory Traversal is a vulnerability which allows attackers to access restricted directories and read files outside of the web server's root directory.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-22
Affected item	/showimage.php
Affected parameter	
Variants	

Macromedia Dreamweaver remote database scripts

Macromedia Dreamweaver has created a directory (_mmServerScripts or _mmDBScripts) that contains scripts for testing database connectivity. One of these scripts (mmhttpdb.php or mmhttpdb.asp) can be accessed without user ID or password and contains numerous operations, such as listing Datasource Names or executing arbitrary SQL queries.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Official_fix Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2004-1893
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

nginx SPDY heap buffer overflow

A heap-based buffer overflow in the SPDY implementation in nginx 1.3.15 before 1.4.7 and 1.5.x before 1.5.12 allows remote attackers to execute arbitrary code via a crafted request. The problem affects nginx compiled with the ngx_http_spdy_module module (which is not compiled by default) and without --with-debug configure option, if the "spdy" option of the "listen" directive is used in a configuration file.

cvss2	Base Score: 5.1 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Proof_of_concept Remediation Level: Official_fix Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2014-0133
CWE	CWE-122
Affected item	Web Server
Affected parameter	
Variants	

PHP allow_url_fopen enabled (AcuSensor)

The PHP configuration directive allow_url_fopen is enabled. When enabled, this directive allows data retrieval from remote locations (web site or FTP server). A large number of code injection vulnerabilities reported in PHP-based web applications are caused by the combination of enabling allow_url_fopen and bad input filtering.

allow_url_fopen is enabled by default.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

Remote file inclusion XSS

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. The server opens arbitrary URLs and puts the content retrieved from the URL into the response without filtering.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

Script source code disclosure

It is possible to read the source code of this script by using script filename as a parameter. It seems that this script includes a file which name is determined using user-supplied data. This data is not properly validated before being passed to the include function.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/showimage.php
Affected parameter	
Variants	

Server side request forgery

SSRF as in Server Side Request Forgery is a vulnerability that allows an attacker to force server interfaces into sending packets initiated by the victim server to the local interface or to another server behind the firewall. Consult Web References for more information about this problem.

cvss2	Base Score: 5.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.0 Attack Vector: Network Attack Complexity: High Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: High
CWE	CWE-918
Affected item	/showimage.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Weak password

This page is using a weak password. Acunetix WVS was able to guess the credentials required to access this page. A weak password is short, common, a system default, or something that could be rapidly guessed by executing a brute force attack using a subset of all possible passwords, such as words in the dictionary, proper names, words based on the user name or common variations on these themes.

cvss2	Base Score: 7.5 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/userinfo.php
Affected parameter	
Variants	

.htaccess file readable

This directory contains an **.htaccess** file that is readable. This may indicate a server misconfiguration. htaccess files are designed to be parsed by web server and should not be directly accessible. These files could contain sensitive information that could help an attacker to conduct further attacks. It's recommended to restrict access to this file.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None
--	---

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial
--	---

cvss2	Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None

	Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.zip
Affected parameter	
Variants	

CRLF injection/HTTP response splitting

This script is possibly vulnerable to CRLF injection attacks.

HTTP headers have the structure "Key: Value", where each line is separated by the CRLF combination. If the user input is injected into the value section without properly escaping/removing CRLF characters it is possible to alter the HTTP headers

structure.

HTTP Response Splitting is a new application attack technique which enables various new attacks such as web cache poisoning, cross user defacement, hijacking pages with sensitive user information and cross-site scripting (XSS). The attacker sends a single HTTP request that forces the web server to form an output stream, which is then interpreted by the target as two HTTP responses instead of one response.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.4 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-113
Affected item	/redir.php
Affected parameter	
Variants	

Cross domain data hijacking

This page is possibly vulnerable to Cross domain data hijacking. If an attacker can create/upload a malicious Flash (SWF) file or control the top part of any page he can perform an attack known as **Cross domain data hijacking**. The Content-Type of the response doesn't matter. If the file is embedded using an <object> tag, it will be executed as a Flash file as long as the content of the file looks like a valid Flash file.

Here is the attack scenario:

- An attacker creates a malicious Flash (SWF) file
- The attacker changes the file extension to JPG
- The attacker uploads the file to victim.com
- The attacker embeds the file on attacker.com using an tag with type "application/x-shockwave-flash"
- The victim visits attacker.com, loads the file as embedded with the tag
- The attacker can now send and receive arbitrary requests to victim.com using the victims session
- The attacker sends a request to victim.com and extracts the CSRF token from the response

There are many ways to perform this attack. The attacker doesn't need to upload a file. The only requirement is that an attacker can control the data on a location of the target domain. One way is to abuse a JSONP API. Usually, the attacker can control the output of a JSONP API endpoint by changing the callback parameter. However, if an attacker uses an entire Flash file as callback, we can use it just like we would use an uploaded file in this attack.

A payload could look like this:

```
<object style="height:1px;width:1px;" data="http://victim.com/user/jsonp?callback=CWS%07%0E000:
```

	Base Score: 4.3 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-20
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting (content-sniffing)

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Flash
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/images
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Templates
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Mod_Rewrite_Shop/images

Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/idea
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea/scopes
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/_mmServerScripts
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
-------	--

cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Connections
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	---

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19/scripts
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High

	Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	--

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

	Base Score: 5.0 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	Web Server

Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/login.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined
-------	---

	Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/guestbook.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/comment.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of

malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/signup.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required

	Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/hpp
Affected parameter	
Variants	

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp
Affected parameter	
Variants	

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined
-------	---

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp/index.php
Affected parameter	
Variants	

Insecure crossdomain.xml file

The browser security model normally prevents web content from one domain from accessing data from another domain. This is commonly known as the "same origin policy". URL policy files grant cross-domain permissions for reading data. They permit operations that are not permitted by default. The URL policy file is located, by default, in the root directory of the target server, with the name crossdomain.xml (for example, at www.example.com/crossdomain.xml).

When a domain is specified in crossdomain.xml file, the site declares that it is willing to allow the operators of any servers in that domain to obtain any document on the server where the policy file resides. The crossdomain.xml file deployed on this website opens the server to all domains (use of a single asterisk "*" as a pure wildcard is supported) like so:

```
<cross-domain-policy>

<allow-access-from domain="*" />

</cross-domain-policy>
```

This practice is suitable for public servers, but should not be used for sites located behind a firewall because it could permit access to protected areas. It should not be used for sites that require authentication in the form of passwords or cookies. Sites that use the common practice of authentication based on cookies to access private or user-specific data should be especially careful when using cross-domain policy files.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-284
Affected item	Web Server
Affected parameter	
Variants	

JetBrains .idea project directory

The .idea directory contains a set of configuration files (.xml) for your project. These configuration files contain information core to the project itself, such as names and locations of its component modules, compiler settings, etc. If you've defined a data source the file dataSources.ids contains information for connecting to the database and credentials. The workspace.xml file stores personal settings such as placement and positions of your windows, your VCS and History settings, and other data pertaining to the development environment. It also contains a list of changed files and other sensitive information. These files should not be present on a production system.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	Web Server
Affected parameter	
Variants	

PHP errors enabled (AcuSensor)

The display_errors directive determines whether error messages should be sent to the browser. These messages frequently contain sensitive information about your web application environment, and should never be presented to untrusted sources.

display_errors is on by default.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server

Affected parameter	
Variants	

PHPinfo page found

This script is using phpinfo() function. This function outputs a large amount of information about the current state of PHP. This includes information about PHP compilation options and extensions, the PHP version, server information and environment (if compiled as a module), the PHP environment, OS version information, paths, master and local values of configuration options, HTTP headers, and the PHP License.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None

cvss3	User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures/wp-config.bak
Affected parameter	
Variants	

URL redirection

This script is possibly vulnerable to URL redirection attacks.

URL redirection is sometimes used as a part of phishing attacks that confuse visitors about which web site they are visiting.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	---

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-601
Affected item	/redir.php
Affected parameter	
Variants	

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Workaround Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Affected item	/login.php
Affected parameter	
Variants	

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None
--	---

cvss2	Availability Impact: None Exploitability: High Remediation Level: Workaround Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Affected item	/signup.php
Affected parameter	
Variants	

WS_FTP log file found

WS_FTP is a popular FTP client. This application creates a log file named WS_FTP.LOG. This file contains sensitive data such as file source/destination and file name, date/time of upload etc.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/pictures/WS_FTP.LOG
Affected parameter	
Variants	

Clickjacking: X-Frame-Options header missing

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server didn't return an **X-Frame-Options** header which means that this website could be at risk of a clickjacking attack. The X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into other sites.

	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium
--	---

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-693
Affected item	Web Server
Affected parameter	
Variants	

Hidden form input named price was found

A hidden form input named price was found. It's not recommended to hide sensitive information in hidden form fields.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/product.php
Affected parameter	
Variants	

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	--

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	/userinfo.php
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/admin
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined
-------	---

	Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/CVS
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured
Affected parameter	
Variants	

Possible virtual host found

Virtual hosting is a method for hosting multiple domain names (with separate handling of each name) on a single server (or pool of servers). This allows one server to share its resources, such as memory and processor cycles, without requiring all services provided to use the same host name.

This web server is responding differently when the Host header is manipulated and various common virtual hosts are tested. This could indicate there is a Virtual Host present.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/privacy.php
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/color-printer/3
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/web-camera-a4tech/2
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/medias/css/main.css
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/medias/js/common_functions.js
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

--	--

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/secured/office_files/filelist.xml
Affected parameter	
Variants	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

Microsoft Office possible sensitive information

This document has been converted to HTML using Microsoft Office. It seems that Office has included sensitive information during the conversion.

	Base Score: 5.0
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/office.htm
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/login.php
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/signup.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/404.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/ipaddresses.txt
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined
-------	---

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None

	Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/credentials.txt
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	--

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

(4.3)LDAP Injection

LDAP Injection is an attack technique used to exploit web sites that construct LDAP statements from user-supplied input.

Lightweight Directory Access Protocol (LDAP) is an open-standard protocol for both querying and manipulating X.500 directory services. The LDAP protocol runs over Internet transport protocols, such as TCP. Web applications may use user-supplied input to create custom LDAP statements for dynamic web page requests.

No alerts in this category.

(4.4)OS Commanding

OS Commanding is an attack technique used to exploit web sites by executing Operating System commands through manipulation of application input.

When a web application does not properly sanitize user-supplied input before using it within application code, it may be possible to trick the application into executing Operating System commands. The executed commands will run with the same permissions of the component that executed the command (e.g. Database server, Web application server, Web server, etc.).

No alerts in this category.

(4.5)SQL Injection

SQL Injection is an attack technique used to exploit web sites that construct SQL statements from user-supplied input.

When a web application fails to properly sanitize user-supplied input, it is possible for an attacker to alter the construction of backend SQL statements. When an attacker is able to modify a SQL statement, the process will run with the same permissions as the component that executed the command. (e.g. Database server, Web application server, Web server, etc.). The impact of this attack can allow attackers to gain total control of the database or even execute commands on the system.

Total number of alerts in this category: 49

Alerts in this category

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php

Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php

Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Macromedia Dreamweaver remote database scripts

Macromedia Dreamweaver has created a directory (_mmServerScripts or _mmDBScripts) that contains scripts for testing database connectivity. One of these scripts (mmhttpdb.php or mmhttpdb.asp) can be accessed without user ID or password and contains numerous operations, such as listing Datasource Names or executing arbitrary SQL queries.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Official_fix Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2004-1893
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
-------	---

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

(4.6) SSI Injection

SSI Injection (Server-side Include) is a server-side exploit technique that allows an attacker to send code into a web application, which will later be executed locally by the web server. SSI Injection exploits a web application's failure to sanitize user-supplied data before they are inserted into a server-side interpreted HTML file.

If an attacker submits a Server-side Include statement, he may have the ability to execute arbitrary operating system commands, or include a restricted file's contents the next time the page is served.

Total number of alerts in this category: 151

Alerts in this category

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial
--	---

cvss2	Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	---

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL

injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low

cvss3	Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

--	--

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None

CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial
--	---

cvss2	Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	---

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL

injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low

cvss3	Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

--	--

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None

CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial
--	---

cvss2	Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/search.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form

of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None

CWE	CWE-79
Affected item	/comment.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	---

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	

Variants	
----------	--

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 5.3

cvss3	Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/index.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None
--	--

cvss2	Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/AJAX/showxml.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/404.php
Affected parameter	
Variants	

Directory traversal

This script is possibly vulnerable to directory traversal attacks.

Directory Traversal is a vulnerability which allows attackers to access restricted directories and read files outside of the web server's root directory.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-22
Affected item	/showimage.php
Affected parameter	
Variants	

Macromedia Dreamweaver remote database scripts

Macromedia Dreamweaver has created a directory (_mmServerScripts or _mmDBScripts) that contains scripts for testing database connectivity. One of these scripts (mmhttpdb.php or mmhttpdb.asp) can be accessed without user ID or password and contains numerous operations, such as listing Datasource Names or executing arbitrary SQL queries.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Official_fix Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2004-1893
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

nginx SPDY heap buffer overflow

A heap-based buffer overflow in the SPDY implementation in nginx 1.3.15 before 1.4.7 and 1.5.x before 1.5.12 allows remote attackers to execute arbitrary code via a crafted request. The problem affects nginx compiled with the ngx_http_spdy_module module (which is not compiled by default) and without --with-debug configure option, if the "spdy" option of the "listen" directive is used in a configuration file.

cvss2	Base Score: 5.1 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Proof_of_concept Remediation Level: Official_fix Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2014-0133
CWE	CWE-122
Affected item	Web Server

Affected parameter	
Variants	

PHP allow_url_fopen enabled (AcuSensor)

The PHP configuration directive allow_url_fopen is enabled. When enabled, this directive allows data retrieval from remote locations (web site or FTP server). A large number of code injection vulnerabilities reported in PHP-based web applications are caused by the combination of enabling allow_url_fopen and bad input filtering.

allow_url_fopen is enabled by default.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

Remote file inclusion XSS

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. The server opens arbitrary URLs and puts the content retrieved from the URL into the response without filtering.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None

CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

Script source code disclosure

It is possible to read the source code of this script by using script filename as a parameter. It seems that this script includes a file which name is determined using user-supplied data. This data is not properly validated before being passed to the include function.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/showimage.php
Affected parameter	
Variants	

Server side request forgery

SSRF as in Server Side Request Forgery is a vulnerability that allows an attacker to force server interfaces into sending packets initiated by the victim server to the local interface or to another server behind the firewall. Consult Web References for more information about this problem.

cvss2	Base Score: 5.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.0 Attack Vector: Network Attack Complexity: High Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: High
CWE	CWE-918

Affected item	/showimage.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined
-------	--

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Weak password

This page is using a weak password. Acunetix WVS was able to guess the credentials required to access this page. A weak password is short, common, a system default, or something that could be rapidly guessed by executing a brute force attack using a subset of all possible passwords, such as words in the dictionary, proper names, words based on the user name or common variations on these themes.

cvss2	Base Score: 7.5 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/userinfo.php
Affected parameter	
Variants	

.htaccess file readable

This directory contains an **.htaccess** file that is readable. This may indicate a server misconfiguration. htaccess files are designed to be parsed by web server and should not be directly accessible. These files could contain sensitive information that could help an attacker to conduct further attacks. It's recommended to restrict access to this file.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	

Variants	
----------	--

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low

cvss3	Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.zip
Affected parameter	
Variants	

CRLF injection/HTTP response splitting

This script is possibly vulnerable to CRLF injection attacks.

HTTP headers have the structure "Key: Value", where each line is separated by the CRLF combination. If the user input is injected into the value section without properly escaping/removing CRLF characters it is possible to alter the HTTP headers structure.

HTTP Response Splitting is a new application attack technique which enables various new attacks such as web cache poisoning, cross user defacement, hijacking pages with sensitive user information and cross-site scripting (XSS). The attacker sends a single HTTP request that forces the web server to form an output stream, which is then interpreted by the target as two HTTP responses instead of one response.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.4 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-113
Affected item	/redir.php
Affected parameter	
Variants	

Cross domain data hijacking

This page is possibly vulnerable to Cross domain data hijacking. If an attacker can create/upload a malicious Flash (SWF) file or control the top part of any page he can perform an attack known as **Cross domain data hijacking**. The Content-Type of the response doesn't matter. If the file is embedded using an <object> tag, it will be executed as a Flash file as long as the content of the file looks like a valid Flash file.

Here is the attack scenario:

- An attacker creates a malicious Flash (SWF) file
- The attacker changes the file extension to JPG
- The attacker uploads the file to victim.com
- The attacker embeds the file on attacker.com using an tag with type "application/x-shockwave-flash"
- The victim visits attacker.com, loads the file as embedded with the tag
- The attacker can now send and receive arbitrary requests to victim.com using the victims session
- The attacker sends a request to victim.com and extracts the CSRF token from the response

There are many ways to perform this attack. The attacker doesn't need to upload a file. The only requirement is that an attacker can control the data on a location of the target domain. One way is to abuse a JSONP API. Usually, the attacker can control the output of a JSONP API endpoint by changing the callback parameter. However, if an attacker uses an entire Flash file as callback, we can use it just like we would use an uploaded file in this attack.

A payload could look like this:

<object style="height:1px;width:1px;" data="http://victim.com/user/jsonp?callback=CWS%07%0E000:



cvss2	Base Score: 4.3 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-20
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting (content-sniffing)

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Flash
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538

Affected item	/images
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Templates
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Mod_Rewrite_Shop/images
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	--

	Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/..idea/scopes
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/_mmServerScripts
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined
-------	---

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Connections
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19/scripts
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200

Affected item	/listproducts.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5

cvss3	Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None
--	---

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required

	Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	Web Server
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/login.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None
--	---

cvss2	Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/guestbook.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/comment.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/signup.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	---

	Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/hpp
Affected parameter	
Variants	

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp
Affected parameter	
Variants	

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

	Base Score: 5.0 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp/index.php
Affected parameter	
Variants	

Insecure crossdomain.xml file

The browser security model normally prevents web content from one domain from accessing data from another domain. This is commonly known as the "same origin policy". URL policy files grant cross-domain permissions for reading data. They permit operations that are not permitted by default. The URL policy file is located, by default, in the root directory of the target server, with the name crossdomain.xml (for example, at www.example.com/crossdomain.xml).

When a domain is specified in crossdomain.xml file, the site declares that it is willing to allow the operators of any servers in that domain to obtain any document on the server where the policy file resides. The crossdomain.xml file deployed on this website opens the server to all domains (use of a single asterisk "*" as a pure wildcard is supported) like so:

```
<cross-domain-policy>

<allow-access-from domain="*" />

</cross-domain-policy>
```

This practice is suitable for public servers, but should not be used for sites located behind a firewall because it could permit access to protected areas. It should not be used for sites that require authentication in the form of passwords or cookies. Sites that use the common practice of authentication based on cookies to access private or user-specific data should be especially careful when using cross-domain policy files.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	--

	Target Distribution: Not_defined
cvss3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-284
Affected item	Web Server
Affected parameter	
Variants	

JetBrains .idea project directory

The .idea directory contains a set of configuration files (.xml) for your project. These configuration files contain information core to the project itself, such as names and locations of its component modules, compiler settings, etc. If you've defined a data source the file dataSources.ids contains information for connecting to the database and credentials. The workspace.xml file stores personal settings such as placement and positions of your windows, your VCS and History settings, and other data pertaining to the development environment. It also contains a list of changed files and other sensitive information. These files should not be present on a production system.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	Web Server
Affected parameter	
Variants	

PHP errors enabled (AcuSensor)

The display_errors directive determines whether error messages should be sent to the browser. These messages frequently contain sensitive information about your web application environment, and should never be presented to untrusted sources.

display_errors is on by default.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined
-------	---

	Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

PHPinfo page found

This script is using phpinfo() function. This function outputs a large amount of information about the current state of PHP. This includes information about PHP compilation options and extensions, the PHP version, server information and environment (if compiled as a module), the PHP environment, OS version information, paths, master and local values of configuration options, HTTP headers, and the PHP License.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	--

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures/wp-config.bak
Affected parameter	
Variants	

URL redirection

This script is possibly vulnerable to URL redirection attacks.

URL redirection is sometimes used as a part of phishing attacks that confuse visitors about which web site they are visiting.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial
--	---

cvss2	Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-601
Affected item	/redir.php
Affected parameter	
Variants	

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Workaround Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Affected item	/login.php
Affected parameter	
Variants	

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Workaround Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Affected item	/signup.php
Affected parameter	
Variants	

WS_FTP log file found

WS_FTP is a popular FTP client. This application creates a log file named WS_FTP.LOG. This file contains sensitive data such as file source/destination and file name, date/time of upload etc.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/pictures/WS_FTP.LOG
Affected parameter	
Variants	

Clickjacking: X-Frame-Options header missing

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server didn't return an **X-Frame-Options** header which means that this website could be at risk of a clickjacking attack. The

X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into other sites.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-693
Affected item	Web Server
Affected parameter	
Variants	

Hidden form input named price was found

A hidden form input named price was found. It's not recommended to hide sensitive information in hidden form fields.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/product.php
Affected parameter	
Variants	

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None
--	--

cvss2	Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	/userinfo.php
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

	Base Score: 0.0
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/admin
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

	Base Score: 5.0 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/CVS
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured
Affected parameter	
Variants	

Possible virtual host found

Virtual hosting is a method for hosting multiple domain names (with separate handling of each name) on a single server (or pool of servers). This allows one server to share its resources, such as memory and processor cycles, without requiring all services provided to use the same host name.

This web server is responding differently when the Host header is manipulated and various common virtual hosts are tested. This could indicate there is a Virtual Host present.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/privacy.php
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/color-printer/3
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/web-camera-a4tech/2
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined
-------	--

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/medias/css/main.css
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/medias/js/common_functions.js
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/secured/office_files/filelist.xml
Affected parameter	
Variants	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

Microsoft Office possible sensitive information

This document has been converted to HTML using Microsoft Office. It seems that Office has included sensitive information during the conversion.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/office.htm
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200
Affected item	/login.php
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/signup.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
-------	--

cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/404.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/ipaddresses.txt
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/credentials.txt
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined
-------	--

	Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

(4.7)XPath Injection

XPath Injection is an attack technique used to exploit web sites that construct XPath queries from user-supplied input.

XPath 1.0 is a language used to refer to parts of an XML document. It can be used directly by an application to query an XML document, or as part of a larger operation such as applying an XSLT transformation to an XML document, or applying an XQuery to an XML document.

No alerts in this category.

(5.1)Directory Indexing

Automatic directory listing/indexing is a web server function that lists all of the files within a requested directory if the normal base file (index.html/home.html/default.htm) is not present. When a user requests the main page of a web site, they normally type in a URL such as: http://www.example.com - using the domain name and excluding a specific file. The web server processes this request and searches the document root directory for the default file name and sends this page to the client. If this page is not present, the web server will issue a directory listing and send the output to the client. Essentially, this is equivalent to issuing an "ls" (Unix) or "dir" (Windows) command within this directory and showing the results in HTML form. From an attack and countermeasure perspective, it is important to realize that unintended directory listings may be possible due to software vulnerabilities.

Total number of alerts in this category: 12

Alerts in this category

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined
-------	--

	Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Flash
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/images
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial
--	---

cvss2	Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Templates
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Mod_Rewrite_Shop/images
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea/scopes
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/_mmServerScripts
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-538
Affected item	/Connections
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low

cvss3	Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	--

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19/scripts
Affected parameter	
Variants	

(5.2)Information Leakage

Information Leakage is when a web site reveals sensitive data, such as developer comments or error messages, which may aid an attacker in exploiting the system. Sensitive information may be present within HTML comments, error messages, source code, or simply left in plain sight. There are many ways a web site can be coaxed into revealing this type of information. While leakage does not necessarily represent a breach in security, it does give an attacker useful guidance for future exploitation. Leakage of sensitive information may carry various levels of risk and should be limited whenever possible.

Total number of alerts in this category: 53

Alerts in this category

Macromedia Dreamweaver remote database scripts

Macromedia Dreamweaver has created a directory (_mmServerScripts or _mmDBScripts) that contains scripts for testing database connectivity. One of these scripts (mmhttpdb.php or mmhttpdb.asp) can be accessed without user ID or password and contains numerous operations, such as listing Datasource Names or executing arbitrary SQL queries.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Official_fix Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2004-1893
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

Script source code disclosure

It is possible to read the source code of this script by using script filename as a parameter. It seems that this script includes a file which name is determined using user-supplied data. This data is not properly validated before being passed to the include function.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/showimage.php
Affected parameter	
Variants	

Weak password

This page is using a weak password. Acunetix WVS was able to guess the credentials required to access this page. A weak password is short, common, a system default, or something that could be rapidly guessed by executing a brute force attack using a subset of all possible passwords, such as words in the dictionary, proper names, words based on the user name or common variations on these themes.

cvss2	Base Score: 7.5 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/userinfo.php
Affected parameter	
Variants	

.htaccess file readable

This directory contains an **.htaccess** file that is readable. This may indicate a server misconfiguration. htaccess files are designed to be parsed by web server and should not be directly accessible. These files could contain sensitive information that could help an attacker to conduct further attacks. It's recommended to restrict access to this file.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None

	Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	--

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.zip

Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Flash
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/images
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Templates
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
-------	--

cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Mod_Rewrite_Shop/images
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	---

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/..idea/scopes
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/_mmServerScripts
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Connections
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19

Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19/scripts
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None

cvss3	User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	---

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	

Variants	
----------	--

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

JetBrains .idea project directory

The .idea directory contains a set of configuration files (.xml) for your project. These configuration files contain information core to the project itself, such as names and locations of its component modules, compiler settings, etc. If you've defined a data source the file dataSources.ids contains information for connecting to the database and credentials. The workspace.xml file stores personal settings such as placement and positions of your windows, your VCS and History settings, and other data pertaining to the development environment. It also contains a list of changed files and other sensitive information. These files should not be present on a production system.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538

Affected item	Web Server
Affected parameter	
Variants	

PHPinfo page found

This script is using phpinfo() function. This function outputs a large amount of information about the current state of PHP. This includes information about PHP compilation options and extensions, the PHP version, server information and environment (if compiled as a module), the PHP environment, OS version information, paths, master and local values of configuration options, HTTP headers, and the PHP License.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low

cvss3	Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures/wp-config.bak
Affected parameter	
Variants	

WS_FTP log file found

WS_FTP is a popular FTP client. This application creates a log file named WS_FTP.LOG. This file contains sensitive data such as file source/destination and file name, date/time of upload etc.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	--

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/pictures/WS_FTP.LOG
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/secured/database_connect.php

Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/admin
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None

cvss3	User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/CVS
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured
Affected parameter	
Variants	

Possible virtual host found

Virtual hosting is a method for hosting multiple domain names (with separate handling of each name) on a single server (or pool of servers). This allows one server to share its resources, such as memory and processor cycles, without requiring all services provided to use the same host name.

This web server is responding differently when the Host header is manipulated and various common virtual hosts are tested. This could indicate there is a Virtual Host present.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined
-------	---

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

Microsoft Office possible sensitive information

This document has been converted to HTML using Microsoft Office. It seems that Office has included sensitive information during the conversion.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/office.htm
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/login.php
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/signup.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/404.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/ipaddresses.txt
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined
-------	---

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None

	Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/credentials.txt
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	--

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

(5.3)Path Traversal

The Path Traversal attack technique forces access to files, directories, and commands that potentially reside outside the web document root directory. An attacker may manipulate a URL in such a way that the web site will execute or reveal the contents of arbitrary files anywhere on the web server. Any device that exposes an HTTPbased interface is potentially vulnerable to Path Traversal.

Most web sites restrict user access to a specific portion of the filesystem, typically called the "web document root" or "CGI root" directory. These directories contain the files intended for user access and the executables necessary to drive web application functionality. To access files or execute commands anywhere on the file-system, Path Traversal attacks will utilize the ability of special-characters sequences.

Total number of alerts in this category: 1

Alerts in this category

Directory traversal

This script is possibly vulnerable to directory traversal attacks.

Directory Traversal is a vulnerability which allows attackers to access restricted directories and read files outside of the web server's root directory.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None

	Availability Impact: None
CWE	CWE-22
Affected item	/showimage.php
Affected parameter	
Variants	

(5.4)Predictable Resource Location

Predictable Resource Location is an attack technique used to uncover hidden web site content and functionality. By making educated guesses, the attack is a brute force search looking for content that is not intended for public viewing. Temporary files, backup files, configuration files, and sample files are all examples of potentially leftover files. These brute force searches are easy because hidden files will often have common naming convention and reside in standard locations. These files may disclose sensitive information about web application internals, database information, passwords, machine names, file paths to other sensitive areas, or possibly contain vulnerabilities. Disclosure of this information is valuable to an attacker.

Total number of alerts in this category: 5

Alerts in this category

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	--

	Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.zip
Affected parameter	
Variants	

JetBrains .idea project directory

The .idea directory contains a set of configuration files (.xml) for your project. These configuration files contain information core to the project itself, such as names and locations of its component modules, compiler settings, etc. If you've defined a data source the file dataSources.ids contains information for connecting to the database and credentials. The workspace.xml file stores personal settings such as placement and positions of your windows, your VCS and History settings, and other data pertaining to the development environment. It also contains a list of changed files and other sensitive information. These files should not be present on a production system.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	Web Server
Affected parameter	
Variants	

PHPinfo page found

This script is using phpinfo() function. This function outputs a large amount of information about the current state of PHP. This includes information about PHP compilation options and extensions, the PHP version, server information and environment (if compiled as a module), the PHP environment, OS version information, paths, master and local values of configuration options, HTTP headers, and the PHP License.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None

cvss3	User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

WS_FTP log file found

WS_FTP is a popular FTP client. This application creates a log file named WS_FTP.LOG. This file contains sensitive data such as file source/destination and file name, date/time of upload etc.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/pictures/WS_FTP.LOG
Affected parameter	
Variants	

(6.1)Abuse of Functionality

Abuse of Functionality is an attack technique that uses a web site's own features and functionality to consume, defraud, or circumvents access controls mechanisms. Some functionality of a web site, possibly even security features, may be abused to cause unexpected behavior. When a piece of functionality is open to abuse, an attacker could potentially annoy other users or perhaps defraud the system entirely. The potential and level of abuse will vary from web site to web site and application to application.

Total number of alerts in this category: 8

Alerts in this category

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High
--	---

cvss2	Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	Web Server
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/login.php
Affected parameter	

Variants	
----------	--

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/guestbook.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	---

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/comment.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/signup.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/hpp
Affected parameter	
Variants	

Clickjacking: X-Frame-Options header missing

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server didn't return an **X-Frame-Options** header which means that this website could be at risk of a clickjacking attack. The X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into other sites.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-693
Affected item	Web Server
Affected parameter	
Variants	

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	/userinfo.php
Affected parameter	
Variants	

(6.2)Denial of Service

Denial of Service (DoS) is an attack technique with the intent of preventing a web site from serving normal user activity. DoS attacks, which are easily normally applied to the network layer, are also possible at the application layer. These malicious attacks can succeed by starving a system of critical resources, vulnerability exploit, or abuse of functionality.

No alerts in this category.

(6.3)Insufficient Anti-automation

Insufficient Anti-automation is when a web site permits an attacker to automate a process that should only be performed manually. Certain web site functionalities should be protected against automated attacks.

Left unchecked, automated robots (programs) or attackers could repeatedly exercise web site functionality attempting to exploit or defraud the system. An automated robot could potentially execute thousands of requests a minute, causing potential loss of performance or service.

Total number of alerts in this category: 151

Alerts in this category

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	---

	Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php

Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php

Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/search.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low

cvss3	Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial
--	--

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/comment.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form

of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None

CWE	CWE-79
Affected item	/hpp/index.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	---

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/AJAX/showxml.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/404.php
Affected parameter	
Variants	

Directory traversal

This script is possibly vulnerable to directory traversal attacks.

Directory Traversal is a vulnerability which allows attackers to access restricted directories and read files outside of the web server's root directory.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-22
Affected item	/showimage.php
Affected parameter	

Variants	
----------	--

Macromedia Dreamweaver remote database scripts

Macromedia Dreamweaver has created a directory (_mmServerScripts or _mmDBScripts) that contains scripts for testing database connectivity. One of these scripts (mmhttpdb.php or mmhttpdb.asp) can be accessed without user ID or password and contains numerous operations, such as listing Datasource Names or executing arbitrary SQL queries.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Official_fix Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2004-1893
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

nginx SPDY heap buffer overflow

A heap-based buffer overflow in the SPDY implementation in nginx 1.3.15 before 1.4.7 and 1.5.x before 1.5.12 allows remote attackers to execute arbitrary code via a crafted request. The problem affects nginx compiled with the ngx_http_spdy_module module (which is not compiled by default) and without --with-debug configure option, if the "spdy" option of the "listen" directive is used in a configuration file.

cvss2	Base Score: 5.1 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Proof_of_concept Remediation Level: Official_fix Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2014-0133
CWE	CWE-122
Affected item	Web Server
Affected parameter	
Variants	

PHP allow_url_fopen enabled (AcuSensor)

The PHP configuration directive allow_url_fopen is enabled. When enabled, this directive allows data retrieval from remote locations (web site or FTP server). A large number of code injection vulnerabilities reported in PHP-based web applications are caused by the combination of enabling allow_url_fopen and bad input filtering.

allow_url_fopen is enabled by default.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

Remote file inclusion XSS

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. The server opens arbitrary URLs and puts the content retrieved from the URL into the response without filtering.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

Script source code disclosure

It is possible to read the source code of this script by using script filename as a parameter. It seems that this script includes a file which name is determined using user-supplied data. This data is not properly validated before being passed to the include function.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/showimage.php
Affected parameter	
Variants	

Server side request forgery

SSRF as in Server Side Request Forgery is a vulnerability that allows an attacker to force server interfaces into sending packets initiated by the victim server to the local interface or to another server behind the firewall. Consult Web References for more information about this problem.

cvss2	Base Score: 5.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.0 Attack Vector: Network Attack Complexity: High Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: High
CWE	CWE-918
Affected item	/showimage.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Weak password

This page is using a weak password. Acunetix WVS was able to guess the credentials required to access this page. A weak password is short, common, a system default, or something that could be rapidly guessed by executing a brute force attack using a subset of all possible passwords, such as words in the dictionary, proper names, words based on the user name or common variations on these themes.

cvss2	Base Score: 7.5 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/userinfo.php
Affected parameter	
Variants	

.htaccess file readable

This directory contains an **.htaccess** file that is readable. This may indicate a server misconfiguration. htaccess files are designed to be parsed by web server and should not be directly accessible. These files could contain sensitive information that could help an attacker to conduct further attacks. It's recommended to restrict access to this file.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None
--	---

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial
--	---

cvss2	Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None

	Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.zip
Affected parameter	
Variants	

CRLF injection/HTTP response splitting

This script is possibly vulnerable to CRLF injection attacks.

HTTP headers have the structure "Key: Value", where each line is separated by the CRLF combination. If the user input is injected into the value section without properly escaping/removing CRLF characters it is possible to alter the HTTP headers

structure.

HTTP Response Splitting is a new application attack technique which enables various new attacks such as web cache poisoning, cross user defacement, hijacking pages with sensitive user information and cross-site scripting (XSS). The attacker sends a single HTTP request that forces the web server to form an output stream, which is then interpreted by the target as two HTTP responses instead of one response.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.4 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-113
Affected item	/redir.php
Affected parameter	
Variants	

Cross domain data hijacking

This page is possibly vulnerable to Cross domain data hijacking. If an attacker can create/upload a malicious Flash (SWF) file or control the top part of any page he can perform an attack known as **Cross domain data hijacking**. The Content-Type of the response doesn't matter. If the file is embedded using an <object> tag, it will be executed as a Flash file as long as the content of the file looks like a valid Flash file.

Here is the attack scenario:

- An attacker creates a malicious Flash (SWF) file
- The attacker changes the file extension to JPG
- The attacker uploads the file to victim.com
- The attacker embeds the file on attacker.com using an tag with type "application/x-shockwave-flash"
- The victim visits attacker.com, loads the file as embedded with the tag
- The attacker can now send and receive arbitrary requests to victim.com using the victims session
- The attacker sends a request to victim.com and extracts the CSRF token from the response

There are many ways to perform this attack. The attacker doesn't need to upload a file. The only requirement is that an attacker can control the data on a location of the target domain. One way is to abuse a JSONP API. Usually, the attacker can control the output of a JSONP API endpoint by changing the callback parameter. However, if an attacker uses an entire Flash file as callback, we can use it just like we would use an uploaded file in this attack.

A payload could look like this:

```
<object style="height:1px;width:1px;" data="http://victim.com/user/jsonp?callback=CWS%07%0E000;
```

	Base Score: 4.3 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-20
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting (content-sniffing)

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Flash
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/images
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Templates
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Mod_Rewrite_Shop/images

Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/idea
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea/scopes
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/_mmServerScripts
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
-------	--

cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Connections
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	---

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19/scripts
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High

	Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	--

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

	Base Score: 5.0 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	Web Server

Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/login.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined
-------	---

	Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/guestbook.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/comment.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of

malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/signup.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required

	Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/hpp
Affected parameter	
Variants	

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp
Affected parameter	
Variants	

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined
-------	---

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp/index.php
Affected parameter	
Variants	

Insecure crossdomain.xml file

The browser security model normally prevents web content from one domain from accessing data from another domain. This is commonly known as the "same origin policy". URL policy files grant cross-domain permissions for reading data. They permit operations that are not permitted by default. The URL policy file is located, by default, in the root directory of the target server, with the name crossdomain.xml (for example, at www.example.com/crossdomain.xml).

When a domain is specified in crossdomain.xml file, the site declares that it is willing to allow the operators of any servers in that domain to obtain any document on the server where the policy file resides. The crossdomain.xml file deployed on this website opens the server to all domains (use of a single asterisk "*" as a pure wildcard is supported) like so:

```
<cross-domain-policy>

<allow-access-from domain="*" />

</cross-domain-policy>
```

This practice is suitable for public servers, but should not be used for sites located behind a firewall because it could permit access to protected areas. It should not be used for sites that require authentication in the form of passwords or cookies. Sites that use the common practice of authentication based on cookies to access private or user-specific data should be especially careful when using cross-domain policy files.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-284
Affected item	Web Server
Affected parameter	
Variants	

JetBrains .idea project directory

The .idea directory contains a set of configuration files (.xml) for your project. These configuration files contain information core to the project itself, such as names and locations of its component modules, compiler settings, etc. If you've defined a data source the file dataSources.ids contains information for connecting to the database and credentials. The workspace.xml file stores personal settings such as placement and positions of your windows, your VCS and History settings, and other data pertaining to the development environment. It also contains a list of changed files and other sensitive information. These files should not be present on a production system.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	Web Server
Affected parameter	
Variants	

PHP errors enabled (AcuSensor)

The display_errors directive determines whether error messages should be sent to the browser. These messages frequently contain sensitive information about your web application environment, and should never be presented to untrusted sources.

display_errors is on by default.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server

Affected parameter	
Variants	

PHPinfo page found

This script is using phpinfo() function. This function outputs a large amount of information about the current state of PHP. This includes information about PHP compilation options and extensions, the PHP version, server information and environment (if compiled as a module), the PHP environment, OS version information, paths, master and local values of configuration options, HTTP headers, and the PHP License.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None

cvss3	User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures/wp-config.bak
Affected parameter	
Variants	

URL redirection

This script is possibly vulnerable to URL redirection attacks.

URL redirection is sometimes used as a part of phishing attacks that confuse visitors about which web site they are visiting.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	---

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-601
Affected item	/redir.php
Affected parameter	
Variants	

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Workaround Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Affected item	/login.php
Affected parameter	
Variants	

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None
--	---

cvss2	Availability Impact: None Exploitability: High Remediation Level: Workaround Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Affected item	/signup.php
Affected parameter	
Variants	

WS_FTP log file found

WS_FTP is a popular FTP client. This application creates a log file named WS_FTP.LOG. This file contains sensitive data such as file source/destination and file name, date/time of upload etc.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/pictures/WS_FTP.LOG
Affected parameter	
Variants	

Clickjacking: X-Frame-Options header missing

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server didn't return an **X-Frame-Options** header which means that this website could be at risk of a clickjacking attack. The X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into other sites.

	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium
--	---

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-693
Affected item	Web Server
Affected parameter	
Variants	

Hidden form input named price was found

A hidden form input named price was found. It's not recommended to hide sensitive information in hidden form fields.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/product.php
Affected parameter	
Variants	

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	--

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	/userinfo.php
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/admin
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined
-------	---

	Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/CVS
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured
Affected parameter	
Variants	

Possible virtual host found

Virtual hosting is a method for hosting multiple domain names (with separate handling of each name) on a single server (or pool of servers). This allows one server to share its resources, such as memory and processor cycles, without requiring all services provided to use the same host name.

This web server is responding differently when the Host header is manipulated and various common virtual hosts are tested. This could indicate there is a Virtual Host present.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/privacy.php
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/color-printer/3
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/web-camera-a4tech/2
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/medias/css/main.css
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/medias/js/common_functions.js
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

--	--

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/secured/office_files/filelist.xml
Affected parameter	
Variants	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

Microsoft Office possible sensitive information

This document has been converted to HTML using Microsoft Office. It seems that Office has included sensitive information during the conversion.

	Base Score: 5.0
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/office.htm
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/login.php
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/signup.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/404.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/ipaddresses.txt
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined
-------	---

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None

	Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/credentials.txt
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	--

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

(6.4)Insufficient Process Validation

Insufficient Process Validation is when a web site permits an attacker to bypass or circumvent the intended flow control of an application. If the user state through a process is not verified and enforced, the web site could be vulnerable to exploitation or fraud.

Total number of alerts in this category: 151

Alerts in this category

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None

CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial
--	---

cvss2	Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	---

	Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php

Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php

Affected parameter	
Variants	

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	---

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/search.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php

Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/comment.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low

cvss3	Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial
--	--

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hnp/index.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/AJAX/showxml.php
Affected parameter	
Variants	

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/404.php
Affected parameter	
Variants	

Directory traversal

This script is possibly vulnerable to directory traversal attacks.

Directory Traversal is a vulnerability which allows attackers to access restricted directories and read files outside of the web

server's root directory.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-22
Affected item	/showimage.php
Affected parameter	
Variants	

Macromedia Dreamweaver remote database scripts

Macromedia Dreamweaver has created a directory (_mmServerScripts or _mmDBScripts) that contains scripts for testing database connectivity. One of these scripts (mmhttpdb.php or mmhttpdb.asp) can be accessed without user ID or password and contains numerous operations, such as listing Datasource Names or executing arbitrary SQL queries.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Official_fix Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2004-1893
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

nginx SPDY heap buffer overflow

A heap-based buffer overflow in the SPDY implementation in nginx 1.3.15 before 1.4.7 and 1.5.x before 1.5.12 allows remote attackers to execute arbitrary code via a crafted request. The problem affects nginx compiled with the ngx_http_spdy_module module (which is not compiled by default) and without --with-debug configure option, if the "spdy" option of the "listen" directive is used in a configuration file.

cvss2	Base Score: 5.1 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Proof_of_concept Remediation Level: Official_fix Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2014-0133
CWE	CWE-122
Affected item	Web Server
Affected parameter	
Variants	

PHP allow_url_fopen enabled (AcuSensor)

The PHP configuration directive allow_url_fopen is enabled. When enabled, this directive allows data retrieval from remote locations (web site or FTP server). A large number of code injection vulnerabilities reported in PHP-based web applications are caused by the combination of enabling allow_url_fopen and bad input filtering.

allow_url_fopen is enabled by default.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

Remote file inclusion XSS

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. The server opens arbitrary URLs and puts the content retrieved from the URL into the response without filtering.

--	--

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

Script source code disclosure

It is possible to read the source code of this script by using script filename as a parameter. It seems that this script includes a file which name is determined using user-supplied data. This data is not properly validated before being passed to the include function.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/showimage.php
Affected parameter	
Variants	

Server side request forgery

SSRF as in Server Side Request Forgery is a vulnerability that allows an attacker to force server interfaces into sending packets initiated by the victim server to the local interface or to another server behind the firewall. Consult Web References for more information about this problem.

	Base Score: 5.8
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.0 Attack Vector: Network Attack Complexity: High Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: High
CWE	CWE-918
Affected item	/showimage.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined
-------	--

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/buy.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/details.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/Mod_Rewrite_Shop/rate.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	Web Server
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/artists.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php

Affected parameter	
Variants	

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	
Variants	

Weak password

This page is using a weak password. Acunetix WVS was able to guess the credentials required to access this page. A weak password is short, common, a system default, or something that could be rapidly guessed by executing a brute force attack using a subset of all possible passwords, such as words in the dictionary, proper names, words based on the user name or common variations on these themes.

cvss2	Base Score: 7.5 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	--

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/userinfo.php
Affected parameter	
Variants	

.htaccess file readable

This directory contains an **.htaccess** file that is readable. This may indicate a server misconfiguration. htaccess files are designed to be parsed by web server and should not be directly accessible. These files could contain sensitive information that could help an attacker to conduct further attacks. It's recommended to restrict access to this file.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	--

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/showimage.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/newuser.php
Affected parameter	
Variants	

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.zip
Affected parameter	
Variants	

CRLF injection/HTTP response splitting

This script is possibly vulnerable to CRLF injection attacks.

HTTP headers have the structure "Key: Value", where each line is separated by the CRLF combination. If the user input is injected into the value section without properly escaping/removing CRLF characters it is possible to alter the HTTP headers structure.

HTTP Response Splitting is a new application attack technique which enables various new attacks such as web cache poisoning, cross user defacement, hijacking pages with sensitive user information and cross-site scripting (XSS). The attacker sends a single HTTP request that forces the web server to form an output stream, which is then interpreted by the target as two HTTP responses instead of one response.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.4 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-113
Affected item	/redir.php
Affected parameter	
Variants	

Cross domain data hijacking

This page is possibly vulnerable to Cross domain data hijacking. If an attacker can create/upload a malicious Flash (SWF) file or control the top part of any page he can perform an attack known as **Cross domain data hijacking**. The Content-Type of the response doesn't matter. If the file is embedded using an <object> tag, it will be executed as a Flash file as long as the content of the file looks like a valid Flash file.

Here is the attack scenario:

- An attacker creates a malicious Flash (SWF) file
- The attacker changes the file extension to JPG
- The attacker uploads the file to victim.com
- The attacker embeds the file on attacker.com using an tag with type "application/x-shockwave-flash"
- The victim visits attacker.com, loads the file as embedded with the tag
- The attacker can now send and receive arbitrary requests to victim.com using the victims session
- The attacker sends a request to victim.com and extracts the CSRF token from the response

There are many ways to perform this attack. The attacker doesn't need to upload a file. The only requirement is that an attacker can control the data on a location of the target domain. One way is to abuse a JSONP API. Usually, the attacker can control the output of a JSONP API endpoint by changing the callback parameter. However, if an attacker uses an entire Flash file as callback, we can use it just like we would use an uploaded file in this attack.

A payload could look like this:

```
<object style="height:1px;width:1px;" data="http://victim.com/user/jsonp?callback=CWS%07%0E000:
```

cvss2	Base Score: 4.3 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-20
Affected item	/hpp/params.php
Affected parameter	
Variants	

Cross site scripting (content-sniffing)

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/showimage.php
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Flash
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/images
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Templates
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Mod_Rewrite_Shop/images
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea

Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea/scopes
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/_mmServerScripts
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Connections
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
-------	--

cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	---

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19
Affected parameter	
Variants	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19/scripts
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

	Base Score: 5.0
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infoartist.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infocateg.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infotitle.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined
-------	---

	Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	
Variants	

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	Web Server
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None

	Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/login.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/guestbook.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial
--	--

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/comment.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/signup.php
Affected parameter	
Variants	

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Affected item	/hpp
Affected parameter	
Variants	

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low

cvss3	Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp
Affected parameter	
Variants	

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp/index.php
Affected parameter	
Variants	

Insecure crossdomain.xml file

The browser security model normally prevents web content from one domain from accessing data from another domain. This is commonly known as the "same origin policy". URL policy files grant cross-domain permissions for reading data. They permit operations that are not permitted by default. The URL policy file is located, by default, in the root directory of the target server, with the name crossdomain.xml (for example, at www.example.com/crossdomain.xml).

When a domain is specified in crossdomain.xml file, the site declares that it is willing to allow the operators of any servers in that domain to obtain any document on the server where the policy file resides. The crossdomain.xml file deployed on this website opens the server to all domains (use of a single asterisk "*" as a pure wildcard is supported) like so:

```
<cross-domain-policy>

<allow-access-from domain="*" />

</cross-domain-policy>
```

This practice is suitable for public servers, but should not be used for sites located behind a firewall because it could permit access to protected areas. It should not be used for sites that require authentication in the form of passwords or cookies. Sites that use the common practice of authentication based on cookies to access private or user-specific data should be especially careful when using cross-domain policy files.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-284
Affected item	Web Server
Affected parameter	
Variants	

JetBrains .idea project directory

The .idea directory contains a set of configuration files (.xml) for your project. These configuration files contain information core to the project itself, such as names and locations of its component modules, compiler settings, etc. If you've defined a data source the file dataSources.ids contains information for connecting to the database and credentials. The workspace.xml file stores personal settings such as placement and positions of your windows, your VCS and History settings, and other data pertaining to the development environment. It also contains a list of changed files and other sensitive information. These files should not be present on a production system.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	--

	Target Distribution: Not_defined
CWE	CWE-538
Affected item	Web Server
Affected parameter	
Variants	

PHP errors enabled (AcuSensor)

The `display_errors` directive determines whether error messages should be sent to the browser. These messages frequently contain sensitive information about your web application environment, and should never be presented to untrusted sources.

`display_errors` is on by default.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	
Variants	

PHPinfo page found

This script is using `phpinfo()` function. This function outputs a large amount of information about the current state of PHP. This includes information about PHP compilation options and extensions, the PHP version, server information and environment (if compiled as a module), the PHP environment, OS version information, paths, master and local values of configuration options, HTTP headers, and the PHP License.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High

	Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/index.bak
Affected parameter	
Variants	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5

cvss3	Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures/wp-config.bak
Affected parameter	
Variants	

URL redirection

This script is possibly vulnerable to URL redirection attacks.

URL redirection is sometimes used as a part of phishing attacks that confuse visitors about which web site they are visiting.

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-601
Affected item	/redir.php
Affected parameter	
Variants	

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Workaround
-------	---

	Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Affected item	/login.php
Affected parameter	
Variants	

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Workaround Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Affected item	/signup.php
Affected parameter	
Variants	

WS_FTP log file found

WS_FTP is a popular FTP client. This application creates a log file named WS_FTP.LOG. This file contains sensitive data such as file source/destination and file name, date/time of upload etc.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low
--	--

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/pictures/WS_FTP.LOG
Affected parameter	
Variants	

Clickjacking: X-Frame-Options header missing

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server didn't return an **X-Frame-Options** header which means that this website could be at risk of a clickjacking attack. The X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into other sites.

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-693
Affected item	Web Server
Affected parameter	
Variants	

Hidden form input named price was found

A hidden form input named price was found. It's not recommended to hide sensitive information in hidden form fields.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined
-------	---

	Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/product.php
Affected parameter	
Variants	

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	/userinfo.php
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None
--	--

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	--

	Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/admin
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/CVS
Affected parameter	
Variants	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None
--	---

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured
Affected parameter	
Variants	

Possible virtual host found

Virtual hosting is a method for hosting multiple domain names (with separate handling of each name) on a single server (or pool of servers). This allows one server to share its resources, such as memory and processor cycles, without requiring all services provided to use the same host name.

This web server is responding differently when the Host header is manipulated and various common virtual hosts are tested. This could indicate there is a Virtual Host present.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/privacy.php
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/color-printer/3
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/web-camera-a4tech/2
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/medias/css/main.css
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/medias/js/common_functions.js
Affected parameter	
Variants	

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/secured/office_files/filelist.xml
Affected parameter	
Variants	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None
--	--

cvss2	Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	
Variants	

Microsoft Office possible sensitive information

This document has been converted to HTML using Microsoft Office. It seems that Office has included sensitive information during the conversion.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/office.htm
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/login.php
Affected parameter	
Variants	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200

Affected item	/signup.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/404.php
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	--

	Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/ipaddresses.txt
Affected parameter	
Variants	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

	Base Score: 5.0
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	
Variants	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	

Variants	
----------	--

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None

cvss3	User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/credentials.txt
Affected parameter	
Variants	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	
Variants	

Affected Items: A Detailed Report

This section provides full details of the types of vulnerabilities found according to individual affected items.

/search.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/sendcommand.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/listproducts.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None

CWE	CWE-89
Parameter	Variations

/userinfo.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium
--	---

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/search.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Parameter	Variations
-----------	------------

/AJAX/infoartist.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/artists.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

	Base Score: 6.8 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/AJAX/infotitle.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None

CWE	CWE-89
Parameter	Variations

/product.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/secured/newuser.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

	Base Score: 6.8
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/AJAX/infocateg.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High

	Availability Impact: None
CWE	CWE-89
Parameter	Variations

/listproducts.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/Mod_Rewrite_Shop/buy.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/Mod_Rewrite_Shop/details.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High

	Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/Mod_Rewrite_Shop/rate.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

Web Server

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/search.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High

	Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/cart.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/artists.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/userinfo.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High

	Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/guestbook.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/product.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/listproducts.php

Blind SQL Injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High

	Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/hpp/params.php

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None
--	---

cvss2	Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/search.php

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/guestbook.php

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 5.3

cvss3	Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/hpp

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/listproducts.php

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/comment.php

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None

CWE	CWE-79
Parameter	Variations

/secured/newuser.php

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form

of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None

	Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/hnp/index.php

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None
--	---

cvss2	Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/listproducts.php

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/guestbook.php

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/AJAX/showxml.php

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 5.3

cvss3	Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/404.php

Cross site scripting

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/showimage.php

Directory traversal

This script is possibly vulnerable to directory traversal attacks.

Directory Traversal is a vulnerability which allows attackers to access restricted directories and read files outside of the web server's root directory.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.3, 6.3, 6.4

--	--

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-22
Parameter	Variations

Web Server

Macromedia Dreamweaver remote database scripts

Macromedia Dreamweaver has created a directory (_mmServerScripts or _mmDBScripts) that contains scripts for testing database connectivity. One of these scripts (mmhttpdb.php or mmhttpdb.asp) can be accessed without user ID or password and contains numerous operations, such as listing Datasource Names or executing arbitrary SQL queries.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Official_fix Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2004-1893
CWE	CWE-16
Parameter	Variations

nginx SPDY heap buffer overflow

A heap-based buffer overflow in the SPDY implementation in nginx 1.3.15 before 1.4.7 and 1.5.x before 1.5.12 allows remote attackers to execute arbitrary code via a crafted request. The problem affects nginx compiled with the ngx_http_spdy_module module (which is not compiled by default) and without --with-debug configure option, if the "spdy" option of the "listen" directive is

used in a configuration file.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.1, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 5.1 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Proof_of_concept Remediation Level: Official_fix Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2014-0133
CWE	CWE-122
Parameter	Variations

PHP allow_url_fopen enabled (AcuSensor)

The PHP configuration directive allow_url_fopen is enabled. When enabled, this directive allows data retrieval from remote locations (web site or FTP server). A large number of code injection vulnerabilities reported in PHP-based web applications are caused by the combination of enabling allow_url_fopen and bad input filtering.

allow_url_fopen is enabled by default.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

/showimage.php

Remote file inclusion XSS

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form of Javascript) to another user. The server opens arbitrary URLs and puts the content retrieved from the URL into the response without filtering.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Script source code disclosure

It is possible to read the source code of this script by using script filename as a parameter. It seems that this script includes a file which name is determined using user-supplied data. This data is not properly validated before being passed to the include function.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Parameter	Variations

Server side request forgery

SSRF as in Server Side Request Forgery is a vulnerability that allows an attacker to force server interfaces into sending packets initiated by the victim server to the local interface or to another server behind the firewall. Consult Web References for more information about this problem.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 5.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.0 Attack Vector: Network Attack Complexity: High Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: High
CWE	CWE-918
Parameter	Variations

/search.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/sendcommand.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/listproducts.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High

	Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/userinfo.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

	Base Score: 6.8
--	-----------------

cvss2	Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/AJAX/infoartist.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High

	Availability Impact: None
CWE	CWE-89
Parameter	Variations

/artists.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/secured/newuser.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/AJAX/infotitle.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High

	Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/product.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/AJAX/infocateg.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/listproducts.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High

	Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/Mod_Rewrite_Shop/buy.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/Mod_Rewrite_Shop/details.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/Mod_Rewrite_Shop/rate.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

Web Server

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/search.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/cart.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/artists.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/userinfo.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/guestbook.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None

	Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/product.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/listproducts.php

SQL injection

This script is possibly vulnerable to SQL Injection attacks.

SQL injection is a vulnerability that allows an attacker to alter back-end SQL statements by manipulating the user input. An SQL injection occurs when web applications accept user input that is directly placed into a SQL statement and doesn't properly filter out dangerous characters.

This is one of the most common application layer attacks currently being used on the Internet. Despite the fact that it is relatively easy to protect against, there is a large number of web applications vulnerable.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.5, 4.6, 6.3, 6.4

cvss2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/userinfo.php

Weak password

This page is using a weak password. Acunetix WVS was able to guess the credentials required to access this page. A weak password is short, common, a system default, or something that could be rapidly guessed by executing a brute force attack using a subset of all possible passwords, such as words in the dictionary, proper names, words based on the user name or common variations on these themes.

This alert belongs to the following categories: 1.1, 1.2, 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 7.5 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200
Parameter	Variations

/Mod_Rewrite_Shop

.htaccess file readable

This directory contains an **.htaccess** file that is readable. This may indicate a server misconfiguration. htaccess files are designed to be parsed by web server and should not be directly accessible. These files could contain sensitive information that could help an attacker to conduct further attacks. It's recommended to restrict access to this file.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

/showimage.php

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None

cvss3	User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/listproducts.php

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None
--	---

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/secured/newuser.php

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/listproducts.php

Application error message

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/index.bak

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 5.4, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Parameter	Variations

/index.zip

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 5.4, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Parameter	Variations

/redir.php

CRLF injection/HTTP response splitting

This script is possibly vulnerable to CRLF injection attacks.

HTTP headers have the structure "Key: Value", where each line is separated by the CRLF combination. If the user input is injected into the value section without properly escaping/removing CRLF characters it is possible to alter the HTTP headers structure.

HTTP Response Splitting is a new application attack technique which enables various new attacks such as web cache poisoning, cross user defacement, hijacking pages with sensitive user information and cross-site scripting (XSS). The attacker sends a single HTTP request that forces the web server to form an output stream, which is then interpreted by the target as two HTTP responses instead of one response.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.4 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low

	Availability Impact: None
CWE	CWE-113
Parameter	Variations

/hpp/params.php

Cross domain data hijacking

This page is possibly vulnerable to Cross domain data hijacking. If an attacker can create/upload a malicious Flash (SWF) file or control the top part of any page he can perform an attack known as **Cross domain data hijacking**. The Content-Type of the response doesn't matter. If the file is embedded using an <object> tag, it will be executed as a Flash file as long as the content of the file looks like a valid Flash file.

Here is the attack scenario:

- An attacker creates a malicious Flash (SWF) file
- The attacker changes the file extension to JPG
- The attacker uploads the file to victim.com
- The attacker embeds the file on attacker.com using an tag with type "application/x-shockwave-flash"
- The victim visits attacker.com, loads the file as embedded with the tag
- The attacker can now send and receive arbitrary requests to victim.com using the victims session
- The attacker sends a request to victim.com and extracts the CSRF token from the response

There are many ways to perform this attack. The attacker doesn't need to upload a file. The only requirement is that an attacker can control the data on a location of the target domain. One way is to abuse a JSONP API. Usually, the attacker can control the output of a JSONP API endpoint by changing the callback parameter. However, if an attacker uses an entire Flash file as callback, we can use it just like we would use an uploaded file in this attack.

A payload could look like this:

```
<object style="height:1px;width:1px;" data="http://victim.com/user/jsonp?callback=CWS%07%0E000;
```

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 4.3 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-20
Parameter	Variations

/showimage.php

Cross site scripting (content-sniffing)

This script is possibly vulnerable to Cross Site Scripting (XSS) attacks.

Cross site scripting (also referred to as XSS) is a vulnerability that allows an attacker to send malicious code (usually in the form

of Javascript) to another user. Because a browser cannot know if the script should be trusted or not, it will execute the script in the user context allowing the attacker to access any cookies or session tokens retained by the browser.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 3.2, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/Flash

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.1, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None

	Availability Impact: None
CWE	CWE-538
Parameter	Variations

/images

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.1, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/Templates

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.1, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	--

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/Mod_Rewrite_Shop/images

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.1, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/.idea

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.1, 5.2, 6.3, 6.4

--	--

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/.idea/scopes

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.1, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/_mmServerScripts

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.1, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/Connections

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.1, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low

cvss3	Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/pictures

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.1, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/wvstests

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.1, 5.2, 6.3, 6.4

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None
--	--

cvss2	Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/wvstests/pmwiki_2_1_19

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.1, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/wvstests/pmwiki_2_1_19/scripts

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.1, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

//listproducts.php

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/AJAX/infoartist.php

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/AJAX/infocateg.php

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None
--	---

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/AJAX/infotitle.php

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/Connections/DB_Connection.php

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/pictures/path-disclosure-unix.html

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low

cvss3	Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/secured/database_connect.php

Error message on page

This page contains an error/warning message that may disclose sensitive information. The message can also contain the location of the file that produced the unhandled exception.

This may be a false positive if the error message is found in documentation pages.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

Web Server

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.1, 6.3, 6.4

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Parameter	Variations

/login.php

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.1, 6.3, 6.4

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low

	Availability Impact: None
CWE	CWE-352
Parameter	Variations

/guestbook.php

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.1, 6.3, 6.4

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Parameter	Variations

/comment.php

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.1, 6.3, 6.4

	Base Score: 2.6 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Parameter	Variations

/signup.php

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.1, 6.3, 6.4

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None

CWE	CWE-352
Parameter	Variations

/hpp

HTML form without CSRF protection

This alert may be a false positive, manual confirmation is required.

Cross-site request forgery, also known as a one-click attack or session riding and abbreviated as CSRF or XSRF, is a type of malicious exploit of a website whereby unauthorized commands are transmitted from a user that the website trusts.

Acunetix WVS found a HTML form with no apparent CSRF protection implemented. Consult details for more information about the affected HTML form.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.1, 6.3, 6.4

cvss2	Base Score: 2.6 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 4.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-352
Parameter	Variations

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None
--	--

cvss2	Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Parameter	Variations

/hnp/index.php

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Parameter	Variations

Web Server

Insecure crossdomain.xml file

The browser security model normally prevents web content from one domain from accessing data from another domain. This is commonly known as the "same origin policy". URL policy files grant cross-domain permissions for reading data. They permit operations that are not permitted by default. The URL policy file is located, by default, in the root directory of the target server, with the name crossdomain.xml (for example, at www.example.com/crossdomain.xml).

When a domain is specified in crossdomain.xml file, the site declares that it is willing to allow the operators of any servers in that domain to obtain any document on the server where the policy file resides. The crossdomain.xml file deployed on this website opens the server to all domains (use of a single asterisk "*" as a pure wildcard is supported) like so:

```
<cross-domain-policy>

<allow-access-from domain="*" />

</cross-domain-policy>
```

This practice is suitable for public servers, but should not be used for sites located behind a firewall because it could permit access to protected areas. It should not be used for sites that require authentication in the form of passwords or cookies. Sites that use the common practice of authentication based on cookies to access private or user-specific data should be especially careful when using cross-domain policy files.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-284
Parameter	Variations

JetBrains .idea project directory

The .idea directory contains a set of configuration files (.xml) for your project. These configuration files contain information core to the project itself, such as names and locations of its component modules, compiler settings, etc. If you've defined a data source the file dataSources.ids contains information for connecting to the database and credentials. The workspace.xml file stores personal settings such as placement and positions of your windows, your VCS and History settings, and other data pertaining to the development environment. It also contains a list of changed files and other sensitive information. These files should not be present on a production system.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 5.4, 6.3, 6.4

	Base Score: 5.0 Access Vector: Network_accessible
--	--

cvss2	Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Parameter	Variations

PHP errors enabled (AcuSensor)

The `display_errors` directive determines whether error messages should be sent to the browser. These messages frequently contain sensitive information about your web application environment, and should never be presented to untrusted sources.

`display_errors` is on by default.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

/secured/phpinfo.php

PHPinfo page found

This script is using `phpinfo()` function. This function outputs a large amount of information about the current state of PHP. This includes information about PHP compilation options and extensions, the PHP version, server information and environment (if compiled as a module), the PHP environment, OS version information, paths, master and local values of configuration options, HTTP headers, and the PHP License.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 5.4, 6.3, 6.4

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None
--	--

cvss2	Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/index.bak

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/pictures/wp-config.bak

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/redir.php

URL redirection

This script is possibly vulnerable to URL redirection attacks.

URL redirection is sometimes used as a part of phishing attacks that confuse visitors about which web site they are visiting.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None

	Integrity Impact: None Availability Impact: None
CWE	CWE-601
Parameter	Variations

/login.php

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Workaround Report Confidence: Confirmed Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Parameter	Variations

/signup.php

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: High Remediation Level: Workaround Report Confidence: Confirmed Availability Requirement: Not_defined
-------	--

	Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-310
Parameter	Variations

/pictures/WS_FTP.LOG

WS_FTP log file found

WS_FTP is a popular FTP client. This application creates a log file named WS_FTP.LOG. This file contains sensitive data such as file source/destination and file name, date/time of upload etc.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 5.4, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Parameter	Variations

Web Server

Clickjacking: X-Frame-Options header missing

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server didn't return an **X-Frame-Options** header which means that this website could be at risk of a clickjacking attack. The X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into other sites.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.1, 6.3, 6.4

	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium
--	---

cvss2	Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-693
Parameter	Variations

/product.php

Hidden form input named price was found

A hidden form input named price was found. It's not recommended to hide sensitive information in hidden form fields.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

/userinfo.php

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.1, 6.3, 6.4

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None
--	---

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Parameter	Variations

/Connections/DB_Connection.php

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Parameter	Variations

/secured/database_connect.php

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Parameter	Variations

/admin

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/CVS

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website.This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/secured

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website.This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

Web Server

Possible virtual host found

Virtual hosting is a method for hosting multiple domain names (with separate handling of each name) on a single server (or pool of servers). This allows one server to share its resources, such as memory and processor cycles, without requiring all services provided to use the same host name.

This web server is responding differently when the Host header is manipulated and various common virtual hosts are tested. This could indicate there is a Virtual Host present.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/privacy.php

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None
--	--

cvss2	Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

/Mod_Rewrite_Shop/Details/color-printer/3

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

/Mod_Rewrite_Shop/Details/web-camera-a4tech/2

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	---

	Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

/medias/css/main.css

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

Broken links

A broken link refers to any link that should take you to a document, image or webpage, that actually results in an error. This page was linked from the website but it is inaccessible.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 6.3, 6.4

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

Web Server

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/secured/office.htm

Microsoft Office possible sensitive information

This document has been converted to HTML using Microsoft Office. It seems that Office has included sensitive information during the conversion.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/login.php

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/signup.php

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined
-------	--

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/404.php

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/pictures/ipaddresses.txt

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/secured/phpinfo.php

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5

cvss3	Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/pictures/path-disclosure-unix.html

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/secured/phpinfo.php

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/Connections/DB_Connection.php

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200

Parameter	Variations
-----------	------------

/pictures/credentials.txt

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/secured/database_connect.php

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: 1.3, 2.1, 2.2, 2.3, 4.2, 4.6, 5.2, 6.3, 6.4

cvss2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined
-------	--

	Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
cvss3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

Scanned items (coverage report)

URL:http://testphp.vulnweb.com/
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/.idea
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/.idea/.name
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/.idea/acuart.iml
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/.idea/encodings.xml
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/.idea/misc.xml
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/.idea/modules.xml
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/.idea/scopes
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/.idea/scopes/scope_settings.xml
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/.idea/vcs.xml
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/.idea/workspace.xml
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/_mmServerScripts
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/_mmServerScripts/MMHTTPDB.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/_mmServerScripts/mysql.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/404.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/adm1nPan3l
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/adm1nPan3l/index.php
No vulnerabilities have been identified for this URL

URL:http://testphp.vulnweb.com/admin
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/admin/create.sql
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/AJAX
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/AJAX/artists.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/AJAX/categories.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/AJAX/htaccess.conf
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/AJAX/index.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/AJAX/infoartist.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/AJAX/infocateg.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/AJAX/infotitle.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/AJAX/showxml.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/AJAX/styles.css
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/AJAX/titles.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/artists.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/bxss
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/bxss/adminPan3l
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/bxss/adminPan3l/index.php
No vulnerabilities have been identified for this URL

URL:http://testphp.vulnweb.com/bxss/adminPan3l/style.css
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/bxss/cleanDatabase.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/bxss/database_connect.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/bxss/index.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/bxss/test.js
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/bxss/vuln.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/cart.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/categories.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/clearguestbook.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/clientaccesspolicy.xml
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/comment.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Connections
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Connections/DB_Connection.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/crossdomain.xml
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/CVS
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/CVS/Entries
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/CVS/Entries.Log
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/CVS/Repository

No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/CVS/Root
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/database_connect.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/disclaimer.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/favicon.ico
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Flash
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Flash/add fla
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Flash/add.swf
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/guestbook.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/hpp
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/hpp/index.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/hpp/params.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/hpp/test.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/images
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/index.bak
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/index.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/index.zip
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/listproducts.php
Vulnerabilities have been identified for this URL

URL:http://testphp.vulnweb.com/login.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/logout.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/medias
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/medias/css
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/medias/css/main.css
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/medias/img
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/medias/js
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/medias/js/common_functions.js
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Mod_Rewrite_Shop
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Mod_Rewrite_Shop/.htaccess
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Mod_Rewrite_Shop/buy.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Mod_Rewrite_Shop/details.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1
Vulnerabilities have been identified for this URL

URL:http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Mod_Rewrite_Shop/images
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Mod_Rewrite_Shop/index.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Mod_Rewrite_Shop/rate.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/pictures
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/pictures/1.jpg.tn
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/pictures/2.jpg.tn
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/pictures/3.jpg.tn
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/pictures/4.jpg.tn
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/pictures/5.jpg.tn
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/pictures/6.jpg.tn
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/pictures/7.jpg.tn
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/pictures/8.jpg.tn
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/pictures/credentials.txt
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/pictures/ipaddresses.txt
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/pictures/path-disclosure-unix.html
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/pictures/path-disclosure-win.html

No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/pictures/wp-config.bak
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/pictures/WS_FTP.LOG
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/privacy.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/product.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/redir.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/search.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/secured
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/secured/database_connect.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/secured/index.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/secured/newuser.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/secured/office.htm
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/secured/office_files
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/secured/office_files/filelist.xml
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/secured/phpinfo.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/secured/style.css
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/sendcommand.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/showimage.php
Vulnerabilities have been identified for this URL

URL:http://testphp.vulnweb.com/signup.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/style.css
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Templates
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/Templates/main_dynamic_template.dwt.php
No vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/userinfo.php
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/wvstests
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/wvstests/pmwiki_2_1_19
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/wvstests/pmwiki_2_1_19/scripts
Vulnerabilities have been identified for this URL
URL:http://testphp.vulnweb.com/wvstests/pmwiki_2_1_19/scripts/version.php
No vulnerabilities have been identified for this URL