



OWASP TOP 10 2017

Compliance Report

01 June 2018

Description

The primary aim of the OWASP Top 10 is to educate developers, designers, architects, managers, and organizations about the consequences of the most important web application security weaknesses. The Top 10 provides basic techniques to protect against these high risk problem areas - and also provides guidance on where to go from here.

Disclaimer

This document or any of its content cannot account for, or be included in any form of legal advice. The outcome of a vulnerability scan (or security evaluation) should be utilized to ensure that diligent measures are taken to lower the risk of potential exploits carried out to compromise data.

Legal advice must be supplied according to its legal context. All laws and the environments in which they are applied, are constantly changed and revised. Therefore no information provided in this document may ever be used as an alternative to a qualified legal body or representative.

A portion of this report is taken from OWASP's Top Ten 2017 Project document, that can be found at <http://www.owasp.org>.

Scan

URL	http://testphp.vulnweb.com
Scan date	01/06/2018, 18:41:38
Duration	21 minutes, 2 seconds
Profile	Full Scan

Compliance at a Glance

This section of the report is a summary and lists the number of alerts found according to individual compliance categories.

[- Injection\(A1\)](#)

Total number of alerts in this category: 23

[- Broken Authentication\(A2\)](#)

Total number of alerts in this category: 1

[- Sensitive Data Exposure\(A3\)](#)

Total number of alerts in this category: 67

[- XML External Entity \(XXE\)\(A4\)](#)

No alerts in this category

[- Broken Access Control\(A5\)](#)

Total number of alerts in this category: 2

[- Security Misconfiguration\(A6\)](#)

Total number of alerts in this category: 23

[- Cross Site Scripting \(XSS\)\(A7\)](#)

Total number of alerts in this category: 17

[- Insecure Deserialization\(A8\)](#)

No alerts in this category

[- Using Components with Known Vulnerabilities\(A9\)](#)

Total number of alerts in this category: 23

[- Insufficient Logging and Monitoring\(A10\)](#)

No alerts in this category

Compliance According to Categories: A Detailed Report

This section is a detailed report that explains each vulnerability found according to individual compliance categories.

(A1)Injection

Injection flaws, such as SQL, NoSQL, OS, and LDAP injection, occur when untrusted data is sent an interpreter as part of a command or query. The attacker's hostile data can trick the interpreter into executing unintended commands or accessing data without proper authorization.

Total number of alerts in this category: 23

Alerts in this category

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infoartist.php
Affected parameter	id
Variants	1 AND 3*2*1=6 AND 800=800

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined
-------	--

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infocateg.php
Affected parameter	id
Variants	1 AND 3*2*1=6 AND 523=523

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/AJAX/infotitle.php
Affected parameter	id
Variants	1 AND 3*2*1=6 AND 251=251

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

--	--

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php
Affected parameter	addcart
Variants	if(now())=sysdate(),sleep(0),0)

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/cart.php
Affected parameter	login
Variants	test%2Ftest' AND 3*2*1=6 AND '000SyJs'='000SyJs

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/comment.php
Affected parameter	login
Variants	-1' OR 3*2*1=6 AND 000929=000929 --

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High

	Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/guestbook.php
Affected parameter	login
Variants	-1' OR 3*2*1=6 AND 000893=000893 --

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	cat
Variants	1 AND 3*2*1=6 AND 564=564

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
-------	---

CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/listproducts.php
Affected parameter	login
Variants	-1' OR 3*2*1=6 AND 000287=000287 --

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	login
Variants	test%2Ftest' AND 3*2*1=6 AND '000I94q'='000I94q

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial
--	---

CVSS2	Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/product.php
Affected parameter	pic
Variants	1 AND 3*2*1=6 AND 582=582

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	login
Variants	-1' OR 3*2*1=6 AND 000371=000371 --

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	searchFor
Variants	0'XOR(if(now())=sysdate(),sleep(0,0))XOR'Z

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	searchFor
Variants	0'XOR(if(now())=sysdate(),sleep(0,0))XOR'Z

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/search.php
Affected parameter	test
Variants	(select(0)from(select(sleep(0)))v)/*'+(select(0)from(select(sleep(0)))v)+'"+ (select(0)from(select(sleep(0)))v)+'*/

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed

	Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/secured/newuser.php
Affected parameter	uname
Variants	-1' OR 3*2*1=6 AND 000176=000176 --

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/sendcommand.php
Affected parameter	cart_id
Variants	(select(0)from(select(sleep(0)))v)/*'+(select(0)from(select(sleep(0)))v)+'"+ (select(0)from(select(sleep(0)))v)/*'/

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	---

	Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	login
Variants	-1' OR 3*2*1=6 AND 000638=000638 --

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	pass
Variants	-1' OR 3*2*1=6 AND 00036=00036 or 'oNKZHRgY'='

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial
--	--

CVSS2	Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	/userinfo.php
Affected parameter	uname
Variants	-1' OR 3*2*1=6 AND 000612=000612 --

CRLF injection/HTTP response splitting

This script is possibly vulnerable to CRLF injection attacks.

HTTP headers have the structure "Key: Value", where each line is separated by the CRLF combination. If the user input is injected into the value section without properly escaping/removing CRLF characters it is possible to alter the HTTP headers structure.

HTTP Response Splitting is a new application attack technique which enables various new attacks such as web cache poisoning, cross user defacement, hijacking pages with sensitive user information and cross-site scripting (XSS). The attacker sends a single HTTP request that forces the web server to form an output stream, which is then interpreted by the target as two HTTP responses instead of one response.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.4 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-113
Affected item	/redir.php

Affected parameter	r
Variants	ACUSTART ACUEND

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp
Affected parameter	pp
Variants	12&n928159=v912070

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	--

	Target Distribution: Not_defined
CVSS3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Affected item	/hpp/index.php
Affected parameter	pp
Variants	12&n903554=v936888

(A2)Broken Authentication

Application functions related to authentication and session management are often implemented incorrectly, allowing attackers to compromise passwords, keys, or session tokens, or to exploit other implementation flaws to assume other users' identities.

Total number of alerts in this category: 1

Alerts in this category

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	/userinfo.php

Affected parameter	
--------------------	--

(A3) Sensitive Data Exposure

Many web applications and APIs do not properly protect sensitive data, such as financial, healthcare and PII. Attackers may steal or modify such weakly protected data to conduct credit card fraud, identity theft, or other crimes. Sensitive data may be compromised without extra protection, such as encryption at rest or in transit, and requires special precautions when exchanged with the browser.

Total number of alerts in this category: 67

Alerts in this category

nginx SPDY heap buffer overflow

A heap-based buffer overflow in the SPDY implementation in nginx 1.3.15 before 1.4.7 and 1.5.x before 1.5.12 allows remote attackers to execute arbitrary code via a crafted request. The problem affects nginx compiled with the ngx_http_spdy_module module (which is not compiled by default) and without --with-debug configure option, if the "spdy" option of the "listen" directive is used in a configuration file.

CVSS2	Base Score: 5.1 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Proof_of_concept Remediation Level: Official_fix Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2014-0133
CWE	CWE-122
Affected item	Web Server
Affected parameter	

PHP allow_url_fopen enabled (AcuSensor)

The PHP configuration directive allow_url_fopen is enabled. When enabled, this directive allows data retrieval from remote locations (web site or FTP server). A large number of code injection vulnerabilities reported in PHP-based web applications are caused by the combination of enabling allow_url_fopen and bad input filtering.

allow_url_fopen is enabled by default.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	---

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	

Application error message

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	cat

Application error message

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	---

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/newuser.php
Affected parameter	uname
Variants	12345""\");]*%00{%0d%0a<%00>%bf%27'd©

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/index.bak
Affected parameter	

Cross domain data hijacking

This page is possibly vulnerable to Cross domain data hijacking. If an attacker can create/upload a malicious Flash (SWF) file or control the top part of any page he can perform an attack known as **Cross domain data hijacking**. The Content-Type of the response doesn't matter. If the file is embedded using an <object> tag, it will be executed as a Flash file as long as the content of the file looks like a valid Flash file.

Here is the attack scenario:

- An attacker creates a malicious Flash (SWF) file
- The attacker changes the file extension to JPG
- The attacker uploads the file to victim.com
- The attacker embeds the file on attacker.com using an tag with type "application/x-shockwave-flash"
- The victim visits attacker.com, loads the file as embedded with the tag
- The attacker can now send and receive arbitrary requests to victim.com using the victims session
- The attacker sends a request to victim.com and extracts the CSRF token from the response

There are many ways to perform this attack. The attacker doesn't need to upload a file. The only requirement is that an attacker can control the data on a location of the target domain. One way is to abuse a JSONP API. Usually, the attacker can control the output of a JSONP API endpoint by changing the callback parameter. However, if an attacker uses an entire Flash file as callback, we can use it just like we would use an uploaded file in this attack.

A payload could look like this:

```
<object style="height:1px;width:1px;" data="http://victim.com/user/jsonp?callback=CWS%07%0E000:
```

CVSS2	Base Score: 4.3 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-20
Affected item	/hpp/params.php
Affected parameter	p
Variants	CWS%07%0E000x%9C=%8D1N%C3%40%10E%DF%AE%8D%BDI%08)%D3%40%1D%A0%A2%05%09%11%89HiP"%05D%8BF%8E%0BG%26%1B%D9%8E%117%A0%A2%DC%82%8A%1Br%04X;!S%8C%FE%CC%9B%F9%FF%AA%CB7Jq%AF%7F%ED%F2.%F8%01>%9E%18p%C9c%9AI%8B%ACzG%F2%DC%BEM%EC%ABdkj%1E%AC%2C%9F%A5(%B1%EB%89T%C2Jj)%93"%DBT7%24%9C%8FH%CBd6)%A3%0Bx)%AC%AD%D8%92%FB%1F%5C%07C%AC%7C%80Q%A7Nc%F4b%E8%FA%98%20b_%26%1C%9F5%20h%F1%D1g%0F%14%C1%0A]s%8D%8B0Q%A8L<%9B6%D4L%BD_%A8w%7E%9D[%17%F3/[%DCm{%EF%CB%EFE6%8D:n-%FB%B3%C3%DD.%E3d1d%EC%C7%3F6%CD0%09

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea/scopes
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5

CVSS3	Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/_mmServerScripts
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/admin
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	--

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Connections
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/CVS
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None
--	--

CVSS2	Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Flash
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/images
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible
--	--

CVSS2	Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Mod_Rewrite_Shop/images
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Templates
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19/scripts
Affected parameter	

Error message on page

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infoartist.php
Affected parameter	

Error message on page

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	--

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infocateg.php
Affected parameter	

Error message on page

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/AJAX/infotitle.php
Affected parameter	

Error message on page

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	

Error message on page

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php

Affected parameter	
--------------------	--

Error message on page

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	

Error message on page

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
-------	--

CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	

Insecure crossdomain.xml file

The browser security model normally prevents web content from one domain from accessing data from another domain. This is commonly known as the "same origin policy". URL policy files grant cross-domain permissions for reading data. They permit operations that are not permitted by default. The URL policy file is located, by default, in the root directory of the target server, with the name crossdomain.xml (for example, at www.example.com/crossdomain.xml).

When a domain is specified in crossdomain.xml file, the site declares that it is willing to allow the operators of any servers in that domain to obtain any document on the server where the policy file resides. The crossdomain.xml file deployed on this website opens the server to all domains (use of a single asterisk "*" as a pure wildcard is supported) like so:

```
<cross-domain-policy>

<allow-access-from domain="*" />

</cross-domain-policy>
```

This practice is suitable for public servers, but should not be used for sites located behind a firewall because it could permit access to protected areas. It should not be used for sites that require authentication in the form of passwords or cookies. Sites that use the common practice of authentication based on cookies to access private or user-specific data should be especially careful when using cross-domain policy files.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-284
Affected item	Web Server

Affected parameter	
--------------------	--

PHP errors enabled (AcuSensor)

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix AcuSensor found that the PHP `display_errors` directive is enabled.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-16
Affected item	Web Server
Affected parameter	

PHPinfo page found

This script is using `phpinfo()` function. This function outputs a large amount of information about the current state of PHP. This includes information about PHP compilation options and extensions, the PHP version, server information and environment (if compiled as a module), the PHP environment, OS version information, paths, master and local values of configuration options, HTTP headers, and the PHP License.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None

CVSS3	User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/index.bak
Affected parameter	

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	--

	Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures/wp-config.bak
Affected parameter	

Clickjacking: X-Frame-Options header missing

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server didn't return an **X-Frame-Options** header which means that this website could be at risk of a clickjacking attack. The X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into other sites.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-693
Affected item	Web Server
Affected parameter	

Cookie(s) without HttpOnly flag set

This cookie does not have the HTTPOnly flag set. When a cookie is set with the HTTPOnly flag, it instructs the browser that the cookie can only be accessed by the server and not by client-side scripts. This is an important security protection for session cookies.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	---

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	

Cookie(s) without Secure flag set

This cookie does not have the Secure flag set. When a cookie is set with the Secure flag, it instructs the browser that the cookie can only be accessed over secure SSL channels. This is an important security protection for session cookies.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	

Hidden form input named price was found

A hidden form input named price was found. It's not recommended to hide sensitive information in hidden form fields.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/product.php
Affected parameter	

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	/userinfo.php
Affected parameter	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/Connections/DB_Connection.php
Affected parameter	

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Affected item	/secured/database_connect.php
Affected parameter	

Possible virtual host found

Virtual hosting is a method for hosting multiple domain names (with separate handling of each name) on a single server (or pool of servers). This allows one server to share its resources, such as memory and processor cycles, without requiring all services provided to use the same host name.

This web server is responding differently when the Host header is manipulated and various common virtual hosts are tested. This could indicate there is a Virtual Host present.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None

	Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/404.php
Affected parameter	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/artists.php
Affected parameter	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	---

	Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/cart.php
Affected parameter	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/categories.php
Affected parameter	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None
--	--

CVSS2	Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/disclaimer.php
Affected parameter	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/guestbook.php
Affected parameter	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/index.bak
Affected parameter	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None

CWE	CWE-200
Affected item	/index.php
Affected parameter	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/listproducts.php
Affected parameter	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 0.0

CVSS3	Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/login.php
Affected parameter	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/logout.php
Affected parameter	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined
-------	--

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/product.php
Affected parameter	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/search.php
Affected parameter	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/signup.php
Affected parameter	

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/Templates/main_dynamic_template.dwt.php
Affected parameter	

Microsoft Office possible sensitive information

This document has been converted to HTML using Microsoft Office. It seems that Office has included sensitive information during the conversion.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High

	Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/office.htm
Affected parameter	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	Web Server
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	--

	Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/404.php
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/ipaddresses.txt
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low
--	--

CVSS2	Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/path-disclosure-unix.html
Affected parameter	

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/phpinfo.php
Affected parameter	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None

	Availability Impact: None
CWE	CWE-200
Affected item	/Connections/DB_Connection.php
Affected parameter	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/pictures/credentials.txt
Affected parameter	

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
-------	--

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	/secured/database_connect.php
Affected parameter	

(A4)XML External Entity (XXE)

Many older or poorly configured XML processors evaluate external entity references within XML documents. External entities can be used to disclose internal files using the file URI handler, internal file shares, internal port scanning, remote code execution, and denial of service attacks.

No alerts in this category.

(A5)Broken Access Control

Restrictions on what authenticated users are allowed to do are often not properly enforced. Attackers can exploit these flaws to access unauthorized functionality and/or data, such as access other users' accounts, view sensitive files, modify other users' data, change access rights, etc.

Total number of alerts in this category: 2

Alerts in this category

Clickjacking: X-Frame-Options header missing

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server didn't return an **X-Frame-Options** header which means that this website could be at risk of a clickjacking attack. The X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into other sites.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-693

Affected item	Web Server
Affected parameter	

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	/userinfo.php
Affected parameter	

(A6)Security Misconfiguration

Security misconfiguration is the most commonly seen issue. This is commonly a result of insecure default configurations, incomplete or ad hoc configurations, open cloud storage, misconfigured HTTP headers, and verbose error messages containing sensitive information. Not only must all operating systems, frameworks, libraries, and applications be securely configured, but they must be patched and upgraded in a timely fashion.

Total number of alerts in this category: 23

Alerts in this category

nginx SPDY heap buffer overflow

A heap-based buffer overflow in the SPDY implementation in nginx 1.3.15 before 1.4.7 and 1.5.x before 1.5.12 allows remote attackers to execute arbitrary code via a crafted request. The problem affects nginx compiled with the ngx_http_spdy_module module (which is not compiled by default) and without --with-debug configure option, if the "spdy" option of the "listen" directive is used in a configuration file.

	Base Score: 5.1
--	-----------------

CVSS2	Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Proof_of_concept Remediation Level: Official_fix Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2014-0133
CWE	CWE-122
Affected item	Web Server
Affected parameter	

PHP allow_url_fopen enabled (AcuSensor)

The PHP configuration directive allow_url_fopen is enabled. When enabled, this directive allows data retrieval from remote locations (web site or FTP server). A large number of code injection vulnerabilities reported in PHP-based web applications are caused by the combination of enabling allow_url_fopen and bad input filtering.

allow_url_fopen is enabled by default.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	

Cross domain data hijacking

This page is possibly vulnerable to Cross domain data hijacking. If an attacker can create/upload a malicious Flash (SWF) file or control the top part of any page he can perform an attack known as **Cross domain data hijacking**. The Content-Type of the response doesn't matter. If the file is embedded using an <object> tag, it will be executed as a Flash file as long as the content of the file looks like a valid Flash file.

Here is the attack scenario:

- An attacker creates a malicious Flash (SWF) file
- The attacker changes the file extension to JPG
- The attacker uploads the file to victim.com
- The attacker embeds the file on attacker.com using an tag with type "application/x-shockwave-flash"
- The victim visits attacker.com, loads the file as embedded with the tag
- The attacker can now send and receive arbitrary requests to victim.com using the victims session
- The attacker sends a request to victim.com and extracts the CSRF token from the response

There are many ways to perform this attack. The attacker doesn't need to upload a file. The only requirement is that an attacker can control the data on a location of the target domain. One way is to abuse a JSONP API. Usually, the attacker can control the output of a JSONP API endpoint by changing the callback parameter. However, if an attacker uses an entire Flash file as callback, we can use it just like we would use an uploaded file in this attack.

A payload could look like this:

```
<object style="height:1px;width:1px;" data="http://victim.com/user/jsonp?callback=CWS%07%0E000:
```

CVSS2	Base Score: 4.3 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-20
Affected item	/hpp/params.php
Affected parameter	p
Variants	CWS%07%0E000x%9C=%8D1N%C3%40%10E%DF%AE%8D%BDI%08)%D3%40%1D%A0%A2%05%09%11%89HiP"%05D%8BF%8E%0BG%26%1B%D9%8E%117%A0%A2%DC%82%8A%1Br%04X;!S%8C%FE%CC%9B%F9%FF%AA%CB7Jq%AF%7F%ED%F2.%F8%01>%9E%18p%C9c%9AI%8B%ACzG%F2%DC%BEM%EC%ABdkj%1E%AC%2C%9F%A5(%B1%EB%89T%C2Jj)%93"%DBT7%24%9C%8FH%CBD6)%A3%0Bx)%AC%AD%D8%92%FB%1F%5C%07C%AC%7C%80Q%A7Nc%F4b%E8%FA%98%20b_%26%1C%9F5%20h%F1%D1g%0F%14%C1%0A]s%8D%8B0Q%A8L<%9B6%D4L%BD_%A8w%7E%9D[%17%F3/[%DCm{%EF%CB%EFE6%8D:n-%FB%B3%C3%DD.%E3d1d%EC%C7%3F6%CD0%09

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged

	Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea/scopes
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5

CVSS3	Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/_mmServerScripts
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/admin
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	--

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Connections
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/CVS
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None
--	--

CVSS2	Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Flash
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/images
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible
--	--

CVSS2	Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Mod_Rewrite_Shop/images
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Templates
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19/scripts
Affected parameter	

Insecure crossdomain.xml file

The browser security model normally prevents web content from one domain from accessing data from another domain. This is commonly known as the "same origin policy". URL policy files grant cross-domain permissions for reading data. They permit operations that are not permitted by default. The URL policy file is located, by default, in the root directory of the target server, with the name crossdomain.xml (for example, at www.example.com/crossdomain.xml).

When a domain is specified in crossdomain.xml file, the site declares that it is willing to allow the operators of any servers in that domain to obtain any document on the server where the policy file resides. The crossdomain.xml file deployed on this website opens the server to all domains (use of a single asterisk "*" as a pure wildcard is supported) like so:

```
<cross-domain-policy>
<allow-access-from domain="*" />
</cross-domain-policy>
```

This practice is suitable for public servers, but should not be used for sites located behind a firewall because it could permit access to protected areas. It should not be used for sites that require authentication in the form of passwords or cookies. Sites that use the common practice of authentication based on cookies to access private or user-specific data should be especially careful when using cross-domain policy files.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-284
Affected item	Web Server
Affected parameter	

PHP errors enabled (AcuSensor)

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix AcuSensor found that the PHP `display_errors` directive is enabled.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-16
Affected item	Web Server
Affected parameter	

Cookie(s) without HttpOnly flag set

This cookie does not have the HTTPOnly flag set. When a cookie is set with the HTTPOnly flag, it instructs the browser that the cookie can only be accessed by the server and not by client-side scripts. This is an important security protection for session cookies.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	

Cookie(s) without Secure flag set

This cookie does not have the Secure flag set. When a cookie is set with the Secure flag, it instructs the browser that the cookie can only be accessed over secure SSL channels. This is an important security protection for session cookies.

	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None
--	--

CVSS2	Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	

Hidden form input named price was found

A hidden form input named price was found. It's not recommended to hide sensitive information in hidden form fields.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/product.php
Affected parameter	

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	--

	Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	/userinfo.php
Affected parameter	

(A7)Cross Site Scripting (XSS)

XSS flaws occur whenever an application includes untrusted data in a new web page without proper validation or escaping, or updates an existing web page with user-supplied data using a browser API that can create HTML or JavaScript. XSS allows attackers to execute scripts in the victim's browser which can hijack user sessions, deface web sites, or redirect the user to malicious sites.

Total number of alerts in this category: 17

Alerts in this category

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/404.php
Affected parameter	

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/comment.php
Affected parameter	name
Variants	<your name here>'"()&%<acx><ScRiPt >RCzl(9631)</ScRiPt>

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None

	Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	name
Variants	anonymous user""()&%<acx><ScRiPt >ZPy(9348)</ScRiPt>

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/guestbook.php
Affected parameter	text
Variants	1""()&%<acx><ScRiPt >ZPy(9706)</ScRiPt>

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	---

	Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp
Affected parameter	pp
Variants	12""()&%<acx><ScRiPt >go5Q(9904)</ScRiPt>

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/index.php
Affected parameter	pp
Variants	12""()&%<acx><ScRiPt >iqty(9229)</ScRiPt>

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low
--	--

CVSS2	Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	p
Variants	valid"()&%<acx><ScRiPt >s9SS(9995)</ScRiPt>

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/hpp/params.php
Affected parameter	pp
Variants	12"()&%<acx><ScRiPt >s9SS(9910)</ScRiPt>

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/listproducts.php
Affected parameter	cat
Variants	1'"()&%<acx><ScRiPt >LiN3(9943)</ScRiPt>

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None

	Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/search.php
Affected parameter	searchFor
Variants	1"()&%<acx><ScRiPt >56xP(9477)</ScRiPt>

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/search.php
Affected parameter	searchFor
Variants	1"()&%<acx><ScRiPt >G0yp(9013)</ScRiPt>

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	---

CVSS2	Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	uemail
Variants	sample@email.tst"()&%<acx><ScRiPt >dZ2Y(9306)</ScRiPt>

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	uphone
Variants	555-666-0606"()&%<acx><ScRiPt >dZ2Y(9415)</ScRiPt>

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	uname
Variants	JCfUZQsq"()&%<acx><ScRiPt >dZ2Y(9683)</ScRiPt>

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None

	Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	/secured/newuser.php
Affected parameter	uuname
Variants	JCfUZQsq"()&%<acx><ScRiPt >dZ2Y(9500)</ScRiPt>

(A8)Insecure Deserialization

Insecure deserialization often leads to remote code execution. Even if deserialization flaws do not result in remote code execution, they can be used to perform attacks, including replay attacks, injection attacks, and privilege escalation attacks.

No alerts in this category.

(A9)Using Components with Known Vulnerabilities

Components, such as libraries, frameworks, and other software modules, almost always run with full privileges. If a vulnerable component is exploited, such an attack can facilitate serious data loss or server takeover. Applications using components with known vulnerabilities may undermine application defenses and enable a range of possible attacks and impacts.

Total number of alerts in this category: 23

Alerts in this category

nginx SPDY heap buffer overflow

A heap-based buffer overflow in the SPDY implementation in nginx 1.3.15 before 1.4.7 and 1.5.x before 1.5.12 allows remote attackers to execute arbitrary code via a crafted request. The problem affects nginx compiled with the ngx_http_spdy_module module (which is not compiled by default) and without --with-debug configure option, if the "spdy" option of the "listen" directive is used in a configuration file.

CVSS2	Base Score: 5.1 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Proof_of_concept Remediation Level: Official_fix Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2014-0133
CWE	CWE-122
Affected item	Web Server
Affected parameter	

PHP allow_url_fopen enabled (AcuSensor)

The PHP configuration directive `allow_url_fopen` is enabled. When enabled, this directive allows data retrieval from remote locations (web site or FTP server). A large number of code injection vulnerabilities reported in PHP-based web applications are caused by the combination of enabling `allow_url_fopen` and bad input filtering.

`allow_url_fopen` is enabled by default.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	

Cross domain data hijacking

This page is possibly vulnerable to Cross domain data hijacking. If an attacker can create/upload a malicious Flash (SWF) file or control the top part of any page he can perform an attack known as **Cross domain data hijacking**. The Content-Type of the response doesn't matter. If the file is embedded using an `<object>` tag, it will be executed as a Flash file as long as the content of the file looks like a valid Flash file.

Here is the attack scenario:

- An attacker creates a malicious Flash (SWF) file
- The attacker changes the file extension to JPG
- The attacker uploads the file to victim.com
- The attacker embeds the file on attacker.com using an tag with type "application/x-shockwave-flash"
- The victim visits attacker.com, loads the file as embedded with the tag
- The attacker can now send and receive arbitrary requests to victim.com using the victims session
- The attacker sends a request to victim.com and extracts the CSRF token from the response

There are many ways to perform this attack. The attacker doesn't need to upload a file. The only requirement is that an attacker can control the data on a location of the target domain. One way is to abuse a JSONP API. Usually, the attacker can control the output of a JSONP API endpoint by changing the callback parameter. However, if an attacker uses an entire Flash file as callback, we can use it just like we would use an uploaded file in this attack.

A payload could look like this:

```
<object style="height:1px;width:1px;" data="http://victim.com/user/jsonp?callback=CWS%07%0E000;
```

CVSS2	Base Score: 4.3 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	---

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-20
Affected item	/hphp/params.php
Affected parameter	p
Variants	CWS%07%0E000x%9C=%8D1N%C3%40%10E%DF%AE%8D%BDI%08)%D3%40%1D%A0%A2%05%09%11%89HiP"%05D%8BF%8E%0BG%26%1B%D9%8E%117%A0%A2%DC%82%8A%1Br%04X;!S%8C%FE%CC%9B%F9%FF%AA%CB7Jq%AF%7F%ED%F2.%F8%01>%9E%18p%C9c%9AI%8B%ACzG%F2%DC%BEM%EC%ABdkj%1E%AC%2C%9F%A5(%B1%EB%89T%C2Jj)%93"%DBT7%24%9C%8FH% CBD6)%A3%0Bx)%AC%AD%D8%92%FB%1F%5C%07C%AC%7C%80Q%A7Nc%F4b%E8%FA%98%20b_%26%1C%9F5%20h%F1%D1g%0F%14%C1%0AJs%8D%8B0Q%A8L<%9B6%D4L%BD_%A8w%7E%9D[%17%F3/[%DCm{%EF%CB%EFE6%8D:n-%FB%B3%C3%DD.%E3d1d%EC%C7%3F6%CD0%09

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined
-------	---

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/.idea/scopes
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/_mmServerScripts
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low
--	--

CVSS2	Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/admin
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Connections
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/CVS
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Flash
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/images
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-538
Affected item	/Mod_Rewrite_Shop/images
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/pictures
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None

CVSS3	User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/Templates
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
-------	--

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19
Affected parameter	

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Affected item	/wvstests/pmwiki_2_1_19/scripts
Affected parameter	

Insecure crossdomain.xml file

The browser security model normally prevents web content from one domain from accessing data from another domain. This is commonly known as the "same origin policy". URL policy files grant cross-domain permissions for reading data. They permit operations that are not permitted by default. The URL policy file is located, by default, in the root directory of the target server, with the name crossdomain.xml (for example, at www.example.com/crossdomain.xml).

When a domain is specified in crossdomain.xml file, the site declares that it is willing to allow the operators of any servers in that domain to obtain any document on the server where the policy file resides. The crossdomain.xml file deployed on this website opens the server to all domains (use of a single asterisk "*" as a pure wildcard is supported) like so:

```
<cross-domain-policy>

<allow-access-from domain="*" />

</cross-domain-policy>
```

This practice is suitable for public servers, but should not be used for sites located behind a firewall because it could permit access to protected areas. It should not be used for sites that require authentication in the form of passwords or cookies. Sites that use the common practice of authentication based on cookies to access private or user-specific data should be especially careful when using cross-domain policy files.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-284
Affected item	Web Server
Affected parameter	

PHP errors enabled (AcuSensor)

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix AcuSensor found that the PHP `display_errors` directive is enabled.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 5.3 Attack Vector: Network

CVSS3	Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-16
Affected item	Web Server
Affected parameter	

Cookie(s) without HttpOnly flag set

This cookie does not have the HTTPOnly flag set. When a cookie is set with the HTTPOnly flag, it instructs the browser that the cookie can only be accessed by the server and not by client-side scripts. This is an important security protection for session cookies.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	

Cookie(s) without Secure flag set

This cookie does not have the Secure flag set. When a cookie is set with the Secure flag, it instructs the browser that the cookie can only be accessed over secure SSL channels. This is an important security protection for session cookies.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	Web Server
Affected parameter	

Hidden form input named price was found

A hidden form input named price was found. It's not recommended to hide sensitive information in hidden form fields.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	/product.php
Affected parameter	

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	/userinfo.php
Affected parameter	

(A10)Insufficient Logging and Monitoring

Insufficient logging and monitoring, coupled with missing or ineffective integration with incident response, allows attackers to further attack systems, maintain persistence, pivot to more systems, and tamper, extract, or destroy data. Most breach studies show time to detect a breach is over 200 days, typically detected by external parties rather than internal processes or monitoring.

No alerts in this category.

Affected Items: A Detailed Report

This section provides full details of the types of vulnerabilities found according to individual affected items.

/AJAX/infoartist.php

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/AJAX/infocateg.php

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	---

	Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/AJAX/infotitle.php

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/cart.php

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

	Base Score: 6.8 Access Vector: Network_accessible
--	--

CVSS2	Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/comment.php

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/guestbook.php

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High

	Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/listproducts.php

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	---

	Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/product.php

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None
--	---

CVSS2	Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/search.php

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Parameter	Variations
-----------	------------

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/secured/newuser.php

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 10.0

CVSS3	Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/sendcommand.php

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/userinfo.php

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial
--	--

CVSS2	Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

Blind SQL Injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/404.php

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None

CWE	CWE-79
Parameter	Variations

/comment.php

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/guestbook.php

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined
-------	---

	Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/hpp

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/hxp/index.php

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/hnp/params.php

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 5.3

CVSS3	Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/listproducts.php

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/search.php

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low
--	--

CVSS2	Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/secured/newuser.php

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None

	Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined
-------	---

	Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Cross site scripting

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None
--	--

CVSS2	Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Web Server

nginx SPDY heap buffer overflow

A heap-based buffer overflow in the SPDY implementation in nginx 1.3.15 before 1.4.7 and 1.5.x before 1.5.12 allows remote attackers to execute arbitrary code via a crafted request. The problem affects nginx compiled with the ngx_http_spdy_module module (which is not compiled by default) and without --with-debug configure option, if the "spdy" option of the "listen" directive is used in a configuration file.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 5.1 Access Vector: Network_accessible Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Proof_of_concept Remediation Level: Official_fix Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVE	CVE-2014-0133
CWE	CWE-122
Parameter	Variations

PHP allow_url_fopen enabled (AcuSensor)

The PHP configuration directive allow_url_fopen is enabled. When enabled, this directive allows data retrieval from remote locations (web site or FTP server). A large number of code injection vulnerabilities reported in PHP-based web applications are caused by the combination of enabling allow_url_fopen and bad input filtering.

allow_url_fopen is enabled by default.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

/listproducts.php

Application error message

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/secured/newuser.php

Application error message

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/index.bak

Backup files

A possible backup file was found on your web-server. These files are usually created by developers to backup their work.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538

Parameter	Variations
-----------	------------

/redir.php

CRLF injection/HTTP response splitting

This script is possibly vulnerable to CRLF injection attacks.

HTTP headers have the structure "Key: Value", where each line is separated by the CRLF combination. If the user input is injected into the value section without properly escaping/removing CRLF characters it is possible to alter the HTTP headers structure.

HTTP Response Splitting is a new application attack technique which enables various new attacks such as web cache poisoning, cross user defacement, hijacking pages with sensitive user information and cross-site scripting (XSS). The attacker sends a single HTTP request that forces the web server to form an output stream, which is then interpreted by the target as two HTTP responses instead of one response.

This alert belongs to the following categories: A1

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.4 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-113
Parameter	Variations

/hpp/params.php

Cross domain data hijacking

This page is possibly vulnerable to Cross domain data hijacking. If an attacker can create/upload a malicious Flash (SWF) file or control the top part of any page he can perform an attack known as **Cross domain data hijacking**. The Content-Type of the response doesn't matter. If the file is embedded using an <object> tag, it will be executed as a Flash file as long as the content of the file looks like a valid Flash file.

Here is the attack scenario:

- An attacker creates a malicious Flash (SWF) file
- The attacker changes the file extension to JPG
- The attacker uploads the file to victim.com
- The attacker embeds the file on attacker.com using an tag with type "application/x-shockwave-flash"
- The victim visits attacker.com, loads the file as embedded with the tag
- The attacker can now send and receive arbitrary requests to victim.com using the victims session

- The attacker sends a request to victim.com and extracts the CSRF token from the response

There are many ways to perform this attack. The attacker doesn't need to upload a file. The only requirement is that an attacker can control the data on a location of the target domain. One way is to abuse a JSONP API. Usually, the attacker can control the output of a JSONP API endpoint by changing the callback parameter. However, if an attacker uses an entire Flash file as callback, we can use it just like we would use an uploaded file in this attack.

A payload could look like this:

```
<object style="height:1px;width:1px;" data="http://victim.com/user/jsonp?callback=CWS%07%0E000;
```

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 4.3 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-20
Parameter	Variations

/.idea

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High

	Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/idea/scopes

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/_mmServerScripts

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined
-------	--

	Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/admin

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/Connections

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/CVS

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/Flash

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/images

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low

CVSS3	Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/Mod_Rewrite_Shop/images

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/pictures

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: A3, A6, A9

	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None
--	--

CVSS2	Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/Templates

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/wvstests

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/wvstests/pmwiki_2_1_19

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None

	Availability Impact: None
CWE	CWE-538
Parameter	Variations

/wvstests/pmwiki_2_1_19/scripts

Directory listing

The web server is configured to display the list of files contained in this directory. This is not recommended because the directory may contain files that are not normally exposed through links on the web site.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/AJAX/infoartist.php

Error message on page

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined
-------	---

	Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/AJAX/infocateg.php

Error message on page

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/AJAX/infotitle.php

Error message on page

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/Connections/DB_Connection.php

Error message on page

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined
-------	--

	Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/listproducts.php

Error message on page

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/pictures/path-disclosure-unix.html

Error message on page

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/secured/database_connect.php

Error message on page

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low

CVSS3	Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/hpp

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

This alert belongs to the following categories: A1

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Parameter	Variations

/hpp/index.php

HTTP parameter pollution

This script is possibly vulnerable to HTTP Parameter Pollution attacks.

HPP attacks consist of injecting encoded query string delimiters into other existing parameters. If the web application does not properly sanitize the user input, a malicious user can compromise the logic of the application to perform either clientside or server-side attacks.

This alert belongs to the following categories: A1

	Base Score: 5.0
--	-----------------

CVSS2	Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 9.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-88
Parameter	Variations

Web Server

Insecure crossdomain.xml file

The browser security model normally prevents web content from one domain from accessing data from another domain. This is commonly known as the "same origin policy". URL policy files grant cross-domain permissions for reading data. They permit operations that are not permitted by default. The URL policy file is located, by default, in the root directory of the target server, with the name crossdomain.xml (for example, at www.example.com/crossdomain.xml).

When a domain is specified in crossdomain.xml file, the site declares that it is willing to allow the operators of any servers in that domain to obtain any document on the server where the policy file resides. The crossdomain.xml file deployed on this website opens the server to all domains (use of a single asterisk "*" as a pure wildcard is supported) like so:

```
<cross-domain-policy>

<allow-access-from domain="*" />

</cross-domain-policy>
```

This practice is suitable for public servers, but should not be used for sites located behind a firewall because it could permit access to protected areas. It should not be used for sites that require authentication in the form of passwords or cookies. Sites that use the common practice of authentication based on cookies to access private or user-specific data should be especially careful when using cross-domain policy files.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined
-------	--

	Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-284
Parameter	Variations

PHP errors enabled (AcuSensor)

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix AcuSensor found that the PHP `display_errors` directive is enabled.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-16
Parameter	Variations

/secured/phpinfo.php

PHPInfo page found

This script is using `phpinfo()` function. This function outputs a large amount of information about the current state of PHP. This includes information about PHP compilation options and extensions, the PHP version, server information and environment (if compiled as a module), the PHP environment, OS version information, paths, master and local values of configuration options, HTTP headers, and the PHP License.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/index.bak

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

/pictures/wp-config.bak

Source code disclosure

Looks like the source code for this script is available. This check is using pattern matching to determine if server side tags are found in the file. In some cases this alert may generate false positives.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-538
Parameter	Variations

Web Server

Clickjacking: X-Frame-Options header missing

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server didn't return an **X-Frame-Options** header which means that this website could be at risk of a clickjacking attack. The X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into other sites.

This alert belongs to the following categories: A3, A5

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined
-------	--

	Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-693
Parameter	Variations

Cookie(s) without HttpOnly flag set

This cookie does not have the HTTPOnly flag set. When a cookie is set with the HTTPOnly flag, it instructs the browser that the cookie can only be accessed by the server and not by client-side scripts. This is an important security protection for session cookies.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

Cookie(s) without Secure flag set

This cookie does not have the Secure flag set. When a cookie is set with the Secure flag, it instructs the browser that the cookie can only be accessed over secure SSL channels. This is an important security protection for session cookies.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

/product.php

Hidden form input named price was found

A hidden form input named price was found. It's not recommended to hide sensitive information in hidden form fields.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

/userinfo.php

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

This alert belongs to the following categories: A2, A3, A5, A6, A9

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None

	Availability Impact: Low
CWE	CWE-307
Parameter	Variations

/Connections/DB_Connection.php

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-538
Parameter	Variations

/secured/database_connect.php

MySQL username disclosure

For a client program to be able to connect to the MySQL server, it must use the proper connection parameters, such as the name of the host where the server is running and the user name and password of your MySQL account.

When the connection to the database cannot be established, the server returns an error message including the MySQL username and host that were used. This information should not be present on a production system.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
-------	---

CWE	CWE-538
Parameter	Variations

Web Server

Possible virtual host found

Virtual hosting is a method for hosting multiple domain names (with separate handling of each name) on a single server (or pool of servers). This allows one server to share its resources, such as memory and processor cycles, without requiring all services provided to use the same host name.

This web server is responding differently when the Host header is manipulated and various common virtual hosts are tested. This could indicate there is a Virtual Host present.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined
-------	--

	Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/404.php

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/artists.php

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/cart.php

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None

CVSS3	User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/categories.php

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/disclaimer.php

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

This alert belongs to the following categories: A3

	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None
--	--

CVSS2	Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/guestbook.php

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/index.bak

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/index.php

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 0.0

CVSS3	Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/listproducts.php

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/login.php

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

This alert belongs to the following categories: A3

	Base Score: 0.0
--	-----------------

CVSS2	Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/logout.php

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/product.php

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/search.php

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined
-------	---

	Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/secured/phpinfo.php

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/signup.php

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then

record any addresses found.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/Templates/main_dynamic_template.dwt.php

Email address found

One or more email addresses have been found on this page. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 0.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None

	Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/secured/office.htm

Microsoft Office possible sensitive information

This document has been converted to HTML using Microsoft Office. It seems that Office has included sensitive information during the conversion.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

Web Server

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved. Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined
-------	--

	Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/404.php

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/pictures/ipaddresses.txt

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/secured/phpinfo.php

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
	Base Score: 7.5 Attack Vector: Network

CVSS3	Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/pictures/path-disclosure-unix.html

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/secured/phpinfo.php

Possible server path disclosure (Unix)

One or more fully qualified path names were found on this page. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

--	--

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/Connections/DB_Connection.php

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200

Parameter	Variations
-----------	------------

/pictures/credentials.txt

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/secured/database_connect.php

Possible username or password disclosure

A username and/or password was found in this file. This information could be sensitive.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined
-------	--

	Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

Scanned items (coverage report)

<http://testphp.vulnweb.com/>
<http://testphp.vulnweb.com/.idea>
<http://testphp.vulnweb.com/.idea/.name>
<http://testphp.vulnweb.com/.idea/acuart.iml>
<http://testphp.vulnweb.com/.idea/encodings.xml>
<http://testphp.vulnweb.com/.idea/misc.xml>
<http://testphp.vulnweb.com/.idea/modules.xml>
<http://testphp.vulnweb.com/.idea/scopes>
http://testphp.vulnweb.com/.idea/scopes/scope_settings.xml
<http://testphp.vulnweb.com/.idea/vcs.xml>
<http://testphp.vulnweb.com/.idea/workspace.xml>
http://testphp.vulnweb.com/_mmServerScripts
http://testphp.vulnweb.com/_mmServerScripts/MMHTTPDB.php
http://testphp.vulnweb.com/_mmServerScripts/mysql.php
<http://testphp.vulnweb.com/404.php>
<http://testphp.vulnweb.com/adm1nPan3l>
<http://testphp.vulnweb.com/adm1nPan3l/index.php>
<http://testphp.vulnweb.com/admin>
<http://testphp.vulnweb.com/admin/create.sql>
<http://testphp.vulnweb.com/AJAX>
<http://testphp.vulnweb.com/AJAX/artists.php>
<http://testphp.vulnweb.com/AJAX/categories.php>
<http://testphp.vulnweb.com/AJAX/htaccess.conf>
<http://testphp.vulnweb.com/AJAX/index.php>
<http://testphp.vulnweb.com/AJAX/infoartist.php>
<http://testphp.vulnweb.com/AJAX/infocateg.php>
<http://testphp.vulnweb.com/AJAX/infotitle.php>
<http://testphp.vulnweb.com/AJAX/showxml.php>
<http://testphp.vulnweb.com/AJAX/styles.css>
<http://testphp.vulnweb.com/AJAX/titles.php>
<http://testphp.vulnweb.com/artists.php>
<http://testphp.vulnweb.com/bxss>
<http://testphp.vulnweb.com/bxss/adminPan3l>
<http://testphp.vulnweb.com/bxss/adminPan3l/index.php>
<http://testphp.vulnweb.com/bxss/adminPan3l/style.css>
<http://testphp.vulnweb.com/bxss/cleanDatabase.php>
http://testphp.vulnweb.com/bxss/database_connect.php
<http://testphp.vulnweb.com/bxss/index.php>
<http://testphp.vulnweb.com/bxss/test.js>
<http://testphp.vulnweb.com/bxss/vuln.php>
<http://testphp.vulnweb.com/cart.php>
<http://testphp.vulnweb.com/categories.php>
<http://testphp.vulnweb.com/clearguestbook.php>
<http://testphp.vulnweb.com/clientaccesspolicy.xml>
<http://testphp.vulnweb.com/comment.php>
<http://testphp.vulnweb.com/Connections>
http://testphp.vulnweb.com/Connections/DB_Connection.php
<http://testphp.vulnweb.com/crossdomain.xml>
<http://testphp.vulnweb.com/CVS>
<http://testphp.vulnweb.com/CVS/Entries>
<http://testphp.vulnweb.com/CVS/Entries.Log>
<http://testphp.vulnweb.com/CVS/Repository>
<http://testphp.vulnweb.com/CVS/Root>
http://testphp.vulnweb.com/database_connect.php
<http://testphp.vulnweb.com/disclaimer.php>
<http://testphp.vulnweb.com/dot.gif>
<http://testphp.vulnweb.com/favicon.ico>
<http://testphp.vulnweb.com/Flash>
<http://testphp.vulnweb.com/Flash/add fla>
<http://testphp.vulnweb.com/Flash/add.swf>
<http://testphp.vulnweb.com/guestbook.php>
<http://testphp.vulnweb.com/hpp>
<http://testphp.vulnweb.com/hpp/index.php>
<http://testphp.vulnweb.com/hpp/params.php>
<http://testphp.vulnweb.com/hpp/test.php>
<http://testphp.vulnweb.com/images>
<http://testphp.vulnweb.com/images/logo.gif>

<http://testphp.vulnweb.com/images/remark.gif>
<http://testphp.vulnweb.com/index.bak>
<http://testphp.vulnweb.com/index.php>
<http://testphp.vulnweb.com/index.zip>
<http://testphp.vulnweb.com/listproducts.php>
<http://testphp.vulnweb.com/login.php>
<http://testphp.vulnweb.com/logout.php>
<http://testphp.vulnweb.com/medias>
<http://testphp.vulnweb.com/medias/css>
<http://testphp.vulnweb.com/medias/css/main.css>
<http://testphp.vulnweb.com/medias/img>
<http://testphp.vulnweb.com/medias/js>
http://testphp.vulnweb.com/medias/js/common_functions.js
http://testphp.vulnweb.com/Mod_Rewrite_Shop
http://testphp.vulnweb.com/Mod_Rewrite_Shop/.htaccess
http://testphp.vulnweb.com/Mod_Rewrite_Shop/buy.php
http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details
http://testphp.vulnweb.com/Mod_Rewrite_Shop/details.php
http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer
http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3
http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink
http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1
http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech
http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2
http://testphp.vulnweb.com/Mod_Rewrite_Shop/images
http://testphp.vulnweb.com/Mod_Rewrite_Shop/images/1.jpg
http://testphp.vulnweb.com/Mod_Rewrite_Shop/images/2.jpg
http://testphp.vulnweb.com/Mod_Rewrite_Shop/images/3.jpg
http://testphp.vulnweb.com/Mod_Rewrite_Shop/index.php
http://testphp.vulnweb.com/Mod_Rewrite_Shop/rate.php
<http://testphp.vulnweb.com/pictures>
<http://testphp.vulnweb.com/pictures/1.jpg>
<http://testphp.vulnweb.com/pictures/1.jpg.tn>
<http://testphp.vulnweb.com/pictures/2.jpg>
<http://testphp.vulnweb.com/pictures/2.jpg.tn>
<http://testphp.vulnweb.com/pictures/3.jpg>
<http://testphp.vulnweb.com/pictures/3.jpg.tn>
<http://testphp.vulnweb.com/pictures/4.jpg>
<http://testphp.vulnweb.com/pictures/4.jpg.tn>
<http://testphp.vulnweb.com/pictures/5.jpg>
<http://testphp.vulnweb.com/pictures/5.jpg.tn>
<http://testphp.vulnweb.com/pictures/6.jpg>
<http://testphp.vulnweb.com/pictures/6.jpg.tn>
<http://testphp.vulnweb.com/pictures/7.jpg>
<http://testphp.vulnweb.com/pictures/7.jpg.tn>
<http://testphp.vulnweb.com/pictures/8.jpg>
<http://testphp.vulnweb.com/pictures/8.jpg.tn>
<http://testphp.vulnweb.com/pictures/credentials.txt>
<http://testphp.vulnweb.com/pictures/ipaddresses.txt>
<http://testphp.vulnweb.com/pictures/path-disclosure-unix.html>
<http://testphp.vulnweb.com/pictures/path-disclosure-win.html>
<http://testphp.vulnweb.com/pictures/wp-config.bak>
http://testphp.vulnweb.com/pictures/WS_FTP.LOG
<http://testphp.vulnweb.com/privacy.php>
<http://testphp.vulnweb.com/product.php>
<http://testphp.vulnweb.com/redir.php>
<http://testphp.vulnweb.com/robots.txt>
<http://testphp.vulnweb.com/search.php>
<http://testphp.vulnweb.com/secured>
http://testphp.vulnweb.com/secured/database_connect.php
<http://testphp.vulnweb.com/secured/index.php>
<http://testphp.vulnweb.com/secured/newuser.php>
<http://testphp.vulnweb.com/secured/office.htm>
http://testphp.vulnweb.com/secured/office_files
http://testphp.vulnweb.com/secured/office_files/filelist.xml
<http://testphp.vulnweb.com/secured/phpinfo.php>
<http://testphp.vulnweb.com/secured/style.css>
<http://testphp.vulnweb.com/sendcommand.php>

<http://testphp.vulnweb.com/showimage.php>
<http://testphp.vulnweb.com/signup.php>
<http://testphp.vulnweb.com/sitemap.xml>
<http://testphp.vulnweb.com/style.css>
<http://testphp.vulnweb.com/Templates>
<http://testphp.vulnweb.com/Templates/logout.php>
http://testphp.vulnweb.com/Templates/main_dynamic_template.dwt.php
<http://testphp.vulnweb.com/userinfo.php>
<http://testphp.vulnweb.com/wvstests>
http://testphp.vulnweb.com/wvstests/pmwiki_2_1_19
http://testphp.vulnweb.com/wvstests/pmwiki_2_1_19/scripts
http://testphp.vulnweb.com/wvstests/pmwiki_2_1_19/scripts/version.php